

WRD RESOURCE ROOM

Ex-TRN GRTE

SNAKE RIVER MANAGEMENT PLAN/ ENVIRONMENTAL ASSESSMENT GRAND TETON NATIONAL PARK



APRIL, 1997



SNAKE RIVER MANAGEMENT PLAN/
ENVIRONMENTAL ASSESSMENT
GRAND TETON NATIONAL PARK

APRIL, 1997





Digitized by the Internet Archive
in 2012 with funding from
LYRASIS Members and Sloan Foundation

<http://archive.org/details/snakerivermanag00nati>

TABLE OF CONTENTS

Executive Summary	i
Part One: Introduction	1
Introduction	1
Need for this Plan	4
Project Scope and Objectives	4
Legislative and Planning History	5
Planning by Other Agencies	7
Part Two: Planning Issues	11
Public Participation	11
Planning Issues	11
Goals	15
Part Three: Resource Overview & Existing Conditions	17
Natural Resources	
Topography and Geology	17
Soil	18
Hydrology	18
Water Quality	18
Water Flows	19
Climate	19
Vegetation	20
Aquatic Invertebrates	22
Fish	22
Amphibians & Reptiles	24
Birds	24
Mammals	25
Rare & Endangered Species	25
Cultural Resources	27
Recreation Use Patterns and Trends	31
Visitor Survey Results	34
Existing Access Areas	39
Part Four: Plan Alternatives	43
Desired Future Conditions	43
Alternative One: Preferred Alternative	45
Alternative Two: No Action	50
Alternative Three: Increased Use	51
Alternative Four: Experience by Segment	52
Comparison of Alternatives	54

Part Five: Environmental Consequences	
Effects of Alternative One	57
Effects of Alternative Two	62
Effects of Alternative Three	65
Effects of Alternative Four	67
Part Six: Indicators, Standards & Monitoring	69
Carrying Capacity	69
Social Indicators and Standards	70
Resource Indicators and Standards	70
Monitoring	71
Research Needs	72
Planning Team	73
References	74
Appendices	77
1: Commercial Operating Guidelines	
2: Wyoming Fish & Game proposal for Upper Bar-B-C Creek	

EXECUTIVE SUMMARY



"(The Snake River) has no North American rival combining wildlife and mountain scenery... Riverfront views of the Tetons are perhaps the most classic mountain scene in North America, photographed by millions... The river is both a mirror and window to the rest of the west."

Tim Palmer, Window to the West

EXECUTIVE SUMMARY

This plan sets forth the management philosophy for the Snake River Corridor and provides strategies for addressing issues and objectives based on that philosophy. This picturesque river originates in the highlands of northwestern Wyoming's Teton Wilderness Area, flows west through a portion of Yellowstone National Park, south through John D. Rockefeller, Jr. Memorial Parkway and then enters Grand Teton National Park as it flows into Jackson Lake. This plan addresses the 25 mile section of the river that flows east from the Jackson Lake Dam, then south to the park's boundary.

Cultural resources within the corridor are briefly discussed, but will be more fully addressed in the park's upcoming Cultural Resources Management Plan.

PROJECT SCOPE AND OBJECTIVES

The National Park Service determined that an updated Snake River Management Plan was needed not only to resolve present issues, but to ensure wise choices for future management and use of the river corridor.

This Snake River Management Plan builds upon the goals set forth in the Grand Teton National Park Master Plan and Statement

for Management which are discussed in Part One. Once finalized, it will guide National Park Service stewardship of the river corridor. The plan has been designed to achieve the following objectives:

- Identify the biological, cultural and scenic values that define the unique character of the Snake River Corridor.
- Identify key issues to be resolved in this plan.
- Formulate a management framework that responds to the issues and effectively guides National Park Service management of the river corridor.
- Determine the appropriate carrying capacities for visitor use of the river corridor.
- Present alternatives for visitor use of the river corridor.
- Develop a resource monitoring and implementation schedule for the completed plan.

PLANNING ISSUES

The recommendations presented in this plan were largely determined by public input. The planning effort was kicked off by a public workshop in November 1994 where the public identified problems and opportunities they would like the National Park Service (NPS) to address. Based on this initial public input, two subsequent meetings, two open house's for float and fishing trip permit holders, and meetings with NPS staff, several key planning issues were identified. These issues, discussed in detail in Part Two, formed the foundation of the planning effort.

In addition, a Draft Snake River Management Plan was released for public review for a 60 day period from August 13 through October 15, 1996. A total of 34 comments were received, and those comments are incorporated throughout this plan.

Additional public participation will be sought throughout the rest of this process by a variety of means: notices will be mailed to workshop participants, public agencies, members of the public who contributed previous comments, and local and regional publications advertising the commencement of a 30-day public review and comment period for this plan.

Resource Protection and Enhancement

Public opinion emphasized the desire to maintain the river's natural character in order to protect wildlife and

scenic quality. Wildlife issues such as eagle nest closures and temporary habitat closures for other species need to be explored. Decline in cottonwood seed regeneration in riparian areas should be explored in light of dam openings and closures.

Access

Current boat launch areas become crowded during the summer months, with boaters waiting in line to launch or exit the river. At some access points, gravel builds up and impedes launch use. The number and location of launch sites need to be reviewed and alterations to the landings evaluated: should there be slip clearance or dredging, alternate locations as the river character changes, or permanent vs. temporary landings designated?

Parking at some launch areas comes congested and is not well defined. At times, the vault toilets at Deadmans Bar and Pacific Creek have long lines. What level of development is appropriate at the launch areas that will not further impact the riverine environment?

Commercial and Private River Use

The perception exists that the river may become overcrowded in the future. This perception ties in with the often misunderstood concept of carrying capacity.

Carrying capacity means the amount and type of recreational use an area can accommodate without altering either the environment or the user's experience beyond the degree of

change deemed acceptable by the management objectives for the area.

If use of the Snake River continues to advance at the current rate, there will be increased stress on aesthetic and wildlife resources. This stress will be caused by the growing number of largely unregulated non-commercial and guided fishing boats and increased use of commercial scenic launches.

What is now needed is a reevaluation of carrying capacities for the Snake River, based on scientific recommendations. This reevaluation will then establish updated management objectives for the river, to determine acceptable upper limits of use. In addition to developing new carrying capacities, methods for staying within these limits need to be generated and explored.

THE GOALS OF THE SNAKE RIVER MANAGEMENT PLAN

The basic goals of Grand Teton National Park in the management of the Snake River reflect those of the NPS as expressed in the National Park Service Act of 1916 and the Redwoods Act of 1978. The main objective is to "...conserve the scenery and natural and historic objects and wildlife therein and to provide for the enjoyment of the same [and] leave them unimpaired...." These legislative mandates are the driving force behind management decisions effecting NPS areas across the nation. The mandates which apply to this project are:

- To preserve the natural resources and environmental processes of the Snake River corridor and the associated riparian and river environments. To protect the Snake River and its riparian environment from unacceptable change caused by human activities.
- To protect and preserve the historic resources in the river corridor and associated environments.
- To provide Snake River users the opportunity to participate in and appreciate a variety of unique experiences offered by Grand Teton National Park as a whole and by the riverine environment in particular. To provide an opportunity for all participants to enjoy a rewarding river running experience.
- To provide a quality Snake River experience through Grand Teton National Park:
- By determining the impact of crowding and use levels on visitor experience.
- By then establishing a human use capacity and a limitation on use that protects the river's natural resources and processes.
- To provide opportunities for people of various ages and abilities to participate in river trips.

DESIRED FUTURE CONDITIONS

The conditions listed below form the foundation of the Snake River Management Plan, building upon the goals set forth in Grand Teton National Park's General Management Plan, Statement for Management, and public input. These conditions will serve as the reference point for all programs and activities the NPS will undertake within the river corridor; they establish the standard for resource conditions. The park will be preparing a cultural resource management plan in the future to address those resources in greater detail. The success of this plan can, therefore, be measured by the extent to which it fulfills the following objectives for natural resources, recreational experience, outfitting and public access and launch sites:

Natural Resources

- The natural functions of plants and animals, as they relate to the Snake River, are preserved and enhanced.
- There is adequate baseline data available upon which to make sound management decisions.
- Wildlife habitat for threatened, endangered, and sensitive species is identified and protected.
- Deer, elk, moose, otter, beaver, osprey, waterfowl, raptors, amphibians, and a variety of songbirds can be observed in their natural environments.
- The bald eagle population is not adversely affected by river use.
- The fishery in the river is stable and thriving.

- The effects of the dam and water flow on the river system are understood and controlled to protect both the natural resources as well as the recreational experience in the river system.

- Water quality is regularly monitored and remains high.

Recreational Experience

- Recreation opportunities such as scenic floating and fishing are provided for within the Snake River Corridor, where consistent with natural resource preservation.

- A variety of options are available to float the river: private boats, commercial tours, rental boats, and guided fishing.

- All private users are aware of river conditions and the skills required to safely complete the float.

Outfitting

- Commercial trips are planned to avoid congestion at launch sites.
- Outfitters share river use responsibly, and help clients gain a better appreciation of river resources and ethics through educational and instructional trips.
- There is no illegal outfitting.

Launch Sites

- Launch sites are organized, with adequate parking and launch facilities. The sites are uncongested but not overdeveloped.

The Four Alternatives

Common Guidelines for All Four Alternatives

While factors relating to each alternative vary, each is roughly divided into three sections: recreational use, launch areas and natural resources. Regardless of which alternative is selected, there are a number of guidelines which are presently, and will continue to be, in effect. These guidelines include:

- Existing closures to protect wintering and nesting wildlife
- On-going wildlife monitoring efforts
- Safety regulations and licenses, for river users
- Yearly boat registration for non-commercial river users
- Operational and administrative requirements for commercial boating and fishing companies
- Commercial use permits and regulations are in effect anytime the river is open to the public
- Routine maintenance, such as garbage collection and maintenance of privies, roads, and launch areas
- All law enforcement regulations such as prohibitions on off-road driving and overnight camping
- Required actions outlined in other park management plans, such as the Human/Bear Management Plan, the Grazing Management Plan, or the Natural Resources Management Plan

- No motorized craft allowed on the river
- Equipment requirements continue for commercial operators (refer to appendix one for a complete description of minimum equipment requirements);
- A commercial shuttle service may be available for private river users
- Commercial operators will continue to offer a variety of lengths of trips covering different sections of the river

Alternative One: Preferred Alternative

The NPS developed this preferred alternative as a result of comments and input received on the Draft Snake River Management Plan released in August of 1996. The Snake River Management Plan is scheduled to be implemented beginning the summer of 1998.

Public comment generally reflected a desire to see future use levels on the river remain consistent with existing levels.

Many of the commercial outfitters asked that a simple average of use not be applied to determine launch numbers, since use varies widely depending on user demand, weather, and time of the week, as well as time of the season. This preferred alternative proposes to cap use at existing levels, with commercial float and fishing use caps set in a way that provide some flexibility for fluctuating demand.

Several public comments were made requesting additional opportunities for commercial guided fishing on Jackson Lake.

Grand Teton Lodge Company and Signal Mountain Lodge currently hold permits to offer guided fishing on Jackson Lake. The Lodge Company has the contractual right to provide any additional fishing services on the park's lakes, if the park were to authorize them.

In addition, several public comments were made requesting additional commercial fishing use of the Moose to Wilson section, which flows within park boundaries for the first three miles. The Wilson launch and take-out site are managed by the Bureau of Land Management. This section is open to all commercial fishing outfitters currently permitted by the park. The National Park Service administers all commercial activity which takes place within the park, even if those activities extend beyond park boundaries. The NPS will continue to issue permits for commercial use of the Snake River from Moose to the park boundary. When the Bureau of Land Management undertakes a management plan for land it administers along the river downstream of the park, the National Park Service will work with the BLM as appropriate during their planning process.

Some interest was expressed in allowing commercial canoeing. Grand Teton National Park does not issue commercial kayaking or canoe permits for the Snake River due to the level of expertise required to negotiate the river in such craft and the social/visual impacts of large commercial groups using this type of craft.

Recreational Use

In this preferred alternative, use of the riparian areas would continue, with the following provisions:

Private Floating

A monitoring system will be developed and begin the summer of 1998 to obtain accurate counts of private users. If non-commercial use exceeds standards outlined in chapter 5, the number of private boaters allowed on the river per day will be limited through the implementation of a permit system. If use levels remain consistent with 1996 levels, no restrictions are anticipated.

The upper Bar B C spring creek will be closed to fishing and a spawning habitat restoration project will begin, as recommended by the Wyoming Game and Fish Department (see Appendix 2).

Commercial Floating

Each individual scenic float operation will retain its current permitted daily launch quota, not to exceed a monthly cap. This monthly cap will be equal to each concessionaire's highest use month in the last three operating seasons. Once the monthly cap is reached, no additional launches will be allowed that month (see example below). The current system of maintaining reserve launches for overflow use will be eliminated. Individual permits will be assigned through the concessions program; individual launch numbers will be allocated through the concessions operating plan for each individual outfitter. One additional launch will be added to the Moose to Wilson section, bringing the total daily launch maximum to 105.

The monthly overall cap for commercial scenic use will be 2,590 launches. This provides a potential average of 84 launches per day, but in reality, all days are not amenable to the same degree of river use. Therefore, total daily scenic launches per-

mitted would remain at 105 per day, more than the average, to allow flexibility for fluctuations in weather, water, clients numbers, etc. This limit on the commercial outfitters will reduce current permitted levels by approximately 23%, but current use levels will easily be accommodated. In other words, existing use will not be reduced, but the potential for significant growth has been eliminated.

For example: if a concessionaire has a monthly not to exceed (NTE) of 500 launches, with a daily NTE of 20, and he launched 20 rafts per day, his monthly allotment would be used up in 25 days leaving five days of no use. Actual weather and customer patterns suggest that some days the weather will be poor for boating, and other days fewer customers will appear, so the concessionaire's overall existing use would probably be unaffected by the cap, and spread out to cover the entire month.

Guided Fishing

In commercial guided fishing, as in scenic floating, the intent is to easily accommodate current levels of use, but eliminate the potential for significant growth. Guided fishing launches over the last three seasons have averaged 13/day, never exceeding 19 launches/day. The goal is to have no more than 20 guided fishing launches on any given day. In addition, on the section already most heavily used, Deadmans to Moose, no more than five commercial fishing trips per day will be permitted.

Each fishing outfitter will be assigned a monthly cap, based on the concessionaire's highest use month during the last three operating seasons. This will provide a monthly overall total of 495 commercial fishing launches, a potential average of 16

launches/day. As in scenic float operations, all days are not amenable to the same degree of fishing use, and actual use will fluctuate.

Each guide service will be limited to six launches per day. As in the current concessions operating plan, guided fishing operations will phone in their use numbers and locations each morning. Dispatch will provide the locations of other guides, so that the Deadmans to Moose section will have no more than five launches per day, and fishing operations can spread themselves out voluntarily through the other sections. If the standard of 20 launches per day is exceeded more than 5 days a month, a more restrictive daily cap will also be placed on each outfit.

Commercial Use

Current rules applicable to guided fishing and float trips concerning designated launching, landing and meal stop sites will continue. Stopping commercial scenic boats other than at designated locations along the river will be prohibited. Other administrative or operational requirements to remain in effect include monthly reporting of operations, boatman qualifications, equipment standards, provision of an interpretive program to the public, safety requirements and NPS approval of rates. These NPS requirements will continue to be addressed and modified, if necessary, through concession operating plans.

Existing meal sites will continue to be available to designated commercial users, if conditions permit and no new resource implications arise. No special maintenance will be conducted, such as grading roads to keep these sites open to vehicles.

Commercial boats will continue to wait to launch until others are out of sight; this regulation has been in effect for some time. If excessive crowding becomes an issue, on the ramps or on the river, designated launch times may be instituted.

Commercial scenic float vans and trailers will be allowed to park at Deadmans Bar for no longer than 45 minutes, due to congestion.

Existing provisions for meeting visitors on park lands will remain in effect; however, commercial operators will be encouraged to meet clients at their own facilities. If crowding at parking areas becomes a problem in the future, commercial operators may be required to meet clients off site .

Launch Areas

In this preferred alternative, the NPS will conduct minor dredging at launch sites. Gravel removal will be conducted to provide reasonable access to the visitor when necessary. Dredging will be conducted only in the immediate vicinity of the launch areas, and only when deemed necessary by park managers.

Discussions of the launch areas are conceptual in this plan. Site specific design work will be completed prior to construction.

Jackson Lake Dam

In this preferred alternative, the NPS will adopt the conceptual design developed during the 1980s, when the Jackson Lake Dam was reconstructed. At that time, the area now used for parking and boat launching was the construction staging area. A schematic site plan was developed to rehabilitate much of the disturbed area while


providing access to the river. The plan's intent is still valid. Pedestrian access to the river will be provided for a variety of uses including fishing, walking, picnicking or just sitting and enjoying the environment. Parking for vehicles will be provided just north of the river, in an area which has trees for shade and provides some separation from the river bank. A walkway will be built to provide easy access from the parking lot to the river. In addition, access, but no developed slip, will be provided for the loading and unloading of small boats. Limited handicapped parking will be provided as well.

Cattlemans Bridge

A survey and evaluation will be initiated to determine the historic significance of the bridge prior to any action taken in this area. Depending on the outcome of that survey, the following is proposed:

Launch/Parking: This preferred alternative proposes to maintain the primitive environment at Cattlemans Bridge but develop a accessible launch site for those wishing to explore the Oxbow area. Development at the site will be kept to a minimum. The topography provides easy access to the river with minimal environmental effect; this site is appropriate for all types of users because they can launch and return to the same spot, as well as float a quiet section of river. Configuration and use of Cattlemans Bridge launch will continue as it exists currently. Minor changes will include delineation of circulation and parking with rock, wood bollards and barrier logs. The approach to the river access will be changed to allow easier backing. Areas not necessary for circulation and parking will be revegetated.

Bridge: The bridge poses a serious safety hazard. Depending on the outcome of the survey and evaluation, the bridge will either be removed or stabilized.



Pacific Creek

In this preferred alternative, the Pacific Creek launch site will be stabilized.

The boat launch is in an eroding section of the Snake River just downstream of the Jackson Lake Dam. The streambank material is highly susceptible to erosion because it is small (sand- to silt-sized) and noncohesive. The launch is located in an outside bend along a small channel, separated from the main channel by a small island. The outside bend location increases water velocities which remove the erodible

streambank material. Water has undercut the bank so severely that the launch has become unstable and difficult to use.

The NPS proposes to armor the small channel with riprap from the beginning of the small channel to the launch area. This should slow erosion of material. This will also help stabilize the launch area in its current location.



Additionally, a unisex restroom will be constructed to replace the existing port-o-john, and the parking area will be striped to better define parking.

Deadmans Bar

Deadmans Bar will be slightly changed to accommodate use patterns. Bollards and horizontal logs will provide better delineation of the parking area. In addition, the approach on the north end of the parking lot will be expanded slightly to accommodate temporary van and trailer parking for those waiting to access the launch ramps. The parking area will be redesigned to provide designated spaces and separation between commercial and private users.

Also, an additional double unisex restroom will be constructed.





Schwabacher Landing

Schwabacher Landing will be redesigned to enhance vehicle circulation and parking. The entire parking and circulation scheme will be redesigned to provide a loop of counter-clockwise traffic flow. Horizontal logs will delineate vehicle parking on the western edge of the upper lot (right side of the plan) while allowing traffic flow and a waiting/staging parking area for vehicles with trailers. The lower lot, adjacent to the river, will consist of a double wide lane accommodating temporary parking as well as through traffic. Vertical logs and placed boulders will define vehicle boundaries.

Moose Landing

In this alternative, no changes in the Moose landing and parking area are proposed.


RKO Landing

In this preferred alternative, minor improvements to the RKO landing road will be made to reduce the number of deep potholes in the roadbed. Minor improvements will be made to eliminate potholes in the parking area. No increase in current use is proposed and no commercial use of this site will be permitted.

Worm Hole

In this preferred alternative, the Worm Hole parking area will be widened slightly to allow

head-in parking on the eastern edge of the lot. Parking will be delineated by horizontal log parking blocks, and the lot will be delineated by a combination of vertical log bollards and placed boulders. A "hammer-head" backing area would be added to assist in pulling out of the parking spaces.



Natural Resources

In this preferred alternative, the NPS will manage natural resources the same way as in Alternative Two, with the following exceptions:

A system will be developed and implemented to monitor effects of visitor use on vegetation. A revegetation plan will be developed to mitigate any changes to vegetation from visitor use. Trails at the launch areas will be clearly defined to discourage use of undesignated trails.

Grand Teton National Park will continue to work with the Bureau of Reclamation on the Minimum Stream Flow Study now underway to understand and mitigate the dam's effect on water flows as it relates to recreation, hydrologic process, fisheries and water quality.

The water quality monitoring program will be continued.

A research and monitoring program will be developed to gather information on river otter population and how visitors effect that population.

A research and monitoring program will be developed to determine how lack of flushing flows, due to the dam, affect cottonwood communities.

A research and monitoring program will be developed to fully evaluate the long term effects of dredging at the launch areas.

Operational Issues

If funding permits, NPS will staff launch sites during busy times.

Additional educational and interpretive signage will be provided at the launch sites.

Alternative Two: No Action

The no action alternative would allow public use of the Snake River to continue in the same patterns of use and growth and under the same restrictions as are presently in effect.

Recreational Use

Growth of non-commercial recreational use would remain unrestricted, except by the physical constraints of the launch areas and parking lots.

Commercial use of the riparian areas would continue at present authorized levels. No additional commercial operations (i.e. float trip concession permits and/or fishing) would be authorized; only existing levels of

permitted use would be allowed. This would provide for the possibility of 104 commercial scenic trips per day, which is a 48% increase over average 1995 use levels. In line with current policy, there would be no limitations placed on existing guided fishing operations.

Commercial float trip operators would abide by current administrative and contractual requirements. Rules about designated launching, landing and lunch stop sites would continue. Stopping commercial boats at non-designated locations along the river would still be prohibited and restrictions about meeting passengers on park lands would remain in effect. Additional administrative and operational requirements that would remain in effect include monthly reporting of operations, boatman qualifications, equipment standards, provision of an interpretive program to the public, safety requirements and Park Service approval of prices.

Hiking and picnicking along the river would continue to be restricted due to lack of developed facilities.

Launch Areas

Except for routine maintenance, no improvement would occur at the launch areas.

Mechanical removal of portions of in-stream gravel bars would be limited to 25 cubic yards.

Existing signs and barricades would be replaced as necessary. No new access areas or roads would be developed in the floodplain, although some existing sites may be relocated, as dictated by natural changes in the river channel.

Natural Resources

Existing closures would remain in effect to protect wintering and nesting wildlife and spawning fish. Efforts to monitor activities for nesting eagles, herons, osprey, trumpeter swans, raptors, and amphibians would continue at present levels.

Water levels in the river would be managed as they are now.

Use of the riparian area by horses and other livestock would be subject to the restrictions stated within other park documents, such as the Natural Resources Management Plan and the Grazing Management Plan.

Concession companies would be required to bear-proof all lunch stop sites and educate all float trip employees about securing objects that would attract a bear, in the ways described in the Human/Bear Management Plan.

Alternative Three: Increased Use

This alternative proposes to modestly increase permitted use.

Recreational Use

There would continue to be no restrictions on private use if growth does not exceed 20% over average 1995 levels. If use exceeds this, limits on private use would be explored.

Commercial scenic float use of the riparian areas would be capped at 115 permitted launches per day. This would allow for a 10% increase over existing permitted use levels, or an estimated 64% increase over average 1995 use levels. In addition, guided

fishing use would be capped at 17 launches per day. This also is a 30% increase over average 1995 use levels. Specific numbers of launches per company would be defined in the concessions operating plan and each company's individual use allocation. The reserve allocation system would no longer be used. No additional commercial operations (i.e. float trip or fishing concession permits) would be authorized.

Scenic concession float trips would be assigned specific launch times and locations during the day designed to spread use out and reduce congestion due to the increased use. Exact times and launch locations would be determined in the concession operating plan.

Rules concerning designated launching, landing and lunch stops would continue with the following exception. There would be no stopping and disembarking allowed on the river by any commercial operation including fishing guides.

Passenger Meeting Points: Passengers may not be met on any lands under the jurisdiction of the National Park Service. Passengers may be met at lodging concession facilities within the park only if prior arrangements are made with the concessionaire.

Launch areas

Alternative Four proposes the same changes to the launch areas as Alternative One.

Natural Resources

Alternative Four proposes the same actions concerning natural resources as Alternative One.

Alternative Four: Experience by Segment

This alternative proposes to zone the river segments for different types of visitor experiences.

Recreational Use

This alternative defines use levels for the following segments of the river:

Jackson Lake Dam to Pacific Creek Landing: The experience of floating from Jackson Lake Dam to Pacific Creek would be a solitary wilderness experience. Visitors would see few other if any boats on this segment. Use would be restricted to private users only. If use levels remain consistent or drop, no restrictions would be made on private users. If use exceeds the standards defined in chapter 5, limits on private use would be explored.

Pacific Creek to Deadmans: Floating this section of river would be continue to be a wilderness experience, however some encounters with other floaters or fisherman would be expected. Commercial scenic float trips would be capped at 14 launches per day which is a 7% increase over average 1995 levels. Guided fishing trips would be capped at 6 launches per day. As in the above section, if private use exceeds the standards defined in chapter 5, limits on private use would be explored.

Deadmans to Moose: Floating this section of river would be a scenic recreational experience. Frequent encounters with other floaters and fisherman would be expected. Commercial scenic float trips would be capped at 56 launches per day and guided fishing trips would be capped at 8 launchers per day. This is a 30% increase over average 1995 use levels. As in the no-action

alternative there will be no restrictions on private floaters other than perhaps the lack of developed facilities.

Schwabachers to Moose: Floating this section would be similar to the above. Commercial scenic float trips would be capped at 11 launches per day, a 30% increase over average 1995 use levels.

Moose to Wilson: Floating this section would continue to be a solitary experience. Floaters can expect to see few others along their trip. Commercial scenic float trips would be capped at 5 per day, a 40% increase over average 1995 levels. Fishing of this section would be unrestricted, other than by regulations imposed by Wyoming Game and Fish.

Actions common to all river sections:

Rules concerning designated launching, landing and lunch stops would continue with the following exception. There would be no stopping and disembarking allowed on the river by any commercial operation including fishing guides.

Passenger Meeting Points: Passengers may not be met on any lands under the jurisdiction of the National Park Service. Passengers may be met at lodging concession facilities within the park only if prior arrangements are made with the concessionaire.

Scenic concession float trips would be assigned specific launch times and locations during the day, designed to spread use out and reduce congestion due to the increased use. Exact times and launch locations would be determined in the concession operating plan.

Scenic float trip concessionaires and fishing

guides would no longer be allowed to park their vans and trailers at the boat launches.

Total launches under this alternative would be 86/day or a 23% increase over average 1995 use levels.

Launch areas

Alternative Four proposes the same changes to the launch areas as Alternative One.

Natural Resources

Alternative Four proposes the same actions concerning natural resources as Alternative One.



Comparison of the Alternatives

	Alternative One: Preferred Alternative	Alternative Two: No Action	Alternative Three: Increased Use	Alternative Four: Experience by Segment
Use Levels				
• Private	No use limits until standards are exceeded. Monitoring to begin summer of 1997.	No use limits.	Same as alternative one.	Same as alternative one.

• Guided Scenic	<p>Cap at existing use levels; 105 launches/day; monthly total NTE 2590; Each operator will retain current permitted daily launch quota, with a monthly cap not to be exceeded. Monthly cap will be based on highest month over last three operating seasons; this will reduce current permitted levels by 23%, but current use levels will be accommodated. No reserve allotment</p>	<p>104 launches/day; 48% increase over average 1995 levels.</p>	<p>115 launches/day; 10% increase over existing permitted levels or 64% increase over average 1995 levels; no reserve allotment; mandatory scheduling</p>	<p>Jackson Lake Dam to Pacific Creek: no use; Pacific Creek to Deadmans: 14 launches/day; Deadmans to Moose: 56 launches/day Schwabachers to Moose: 11/day; Moose to Wilson: 5/day.</p>
-----------------	---	---	---	---

	Alternative One: Preferred Alternative	Alternative Two: No Action	Alternative Three: Increased Use	Alternative Four: Experience by Segment
• Guided Fishing	Monthly total NTE 495; daily limit 6/day per outfitter; 20 launches/day standard.	No use limits.	17 launches/day; no extended parking at launch areas.	Jackson Lake to Pacific Creek: no use; Pacific Creek to Deadmans: 6/day; Deadmans to Moose: 8/day; Moose to Wilson: no restrictions.
Launch Areas	Material will be removed from streambed as deemed necessary by park management to keep boat launches operational.	Dredging not to exceed 25 cubic yards.	Same as alternative one.	Same as alternative one.
• Jackson Lake Dam	Remove parking adjacent to the river; access for small boats provided.	Existing Conditions.	Same as alternative one.	Same as alternative one.
• Cattlemans Bridge	Initiate historic survey and evaluation for bridge; develop accessible launch; improve parking delineation.	Existing Conditions.	Same as alternative one.	Same as alternative one.
• Pacific Creek	Stabilize launch site; construct unisex restroom; stripe parking lot.	Existing Conditions.	Same as alternative one.	Same as alternative one.

	Alternative One: Preferred Alternative	Alternative Two: No Action	Alternative Three: Increased Use	Alternative Four: Experience by Segment
• Deadmans	Use patterns unchanged; better delineation of parking; provide separation between commercial and private users; slight widening of approach; construct an additional double unisex restroom.	Existing Conditions.	Same as alternative one.	Same as alternative one.
• Schwabackers	Redesign to enhance vehicle circulation and parking.	Existing Conditions.	Define parking and circulation.	Same as alternative one.
• Moose Landing	Existing conditions.	Existing Conditions.	Existing conditions.	Existing conditions.
Commercial Operations				
• Passenger Meeting Points	Existing conditions. Commercial operators encouraged to meet clients at their own facilities.	Existing Conditions.	Passengers may not be met on NPS lands, but may be met at lodging concession facilities.	Passengers may not be met on NPS lands, but may be met at lodging concession facilities.
• Commercial Launch Times & Locations	Existing conditions.	Existing Conditions.	Commercial scenic float trips assigned specific launch times and locations.	Commercial scenic float trips assigned specific launch times and locations.

	Alternative One: Preferred Alternative	Alternative Two: No Action	Alternative Three: Increased Use	Alternative Four: Experience by Segment
• Commercial Parking at Launches	Scenic float trips will be limited to 45 min. at Deadmans Bar.	Existing Conditions.	No long term parking by scenic float trips or guided fishing trips.	No long term parking by scenic float trips or guided fishing trips.

ORGANIZATIONAL FRAMEWORK

Information presented in this document is organized into six sections:

Part One: Introduction. This section contains a general summary of the natural history of the Snake River Corridor, a justification for an updated Snake River Management Plan and an overview of past legislation and planning pertaining to the area.

Part Two: Planning Issues. This section identifies the issues related to the corridor and describes management objectives for this plan.


Part Three: Resource Overview. This section chronicles the existing conditions on the river and resources present in the corridor.

Part Four: Plan Alternatives. This section identifies the alternatives developed to resolve the issues.

Part Five: Environmental Consequences. This section describes the potential impacts associated with each alternative.

Part Six: Indicators, Standards & Monitoring. This section discusses the concept of carrying capacity and defines indicators and standards relating to the desired future conditions. It also outlines future monitoring and research needs.

PART ONE, INTRODUCTION



"Water is inspiration, recreation and refreshment to humans. The wonders of waterfalls, springs and geysers, and the pleasures of swimming, rafting, hiking, fishing and boating park lakes and streams, draw and delight park visitors." - Park Waters in Peril, National Park's and Conservation Association.

PART ONE, INTRODUCTION

Grand Teton National Park consists of approximately 310,000 acres in northwest Wyoming's Teton County. Bordered by two national forests, the John D. Rockefeller Jr. Memorial Parkway and Yellowstone National Park, Grand Teton National Park occupies a central position in the 13.3 million acres of federally-owned land referred to as the Greater Yellowstone Area.

The intent of this updated Snake River Management Plan is to provide the National Park Service with direction for long-range management of the Snake River Corridor from the Jackson Lake Dam to the park's south boundary. The northern section of river from the south boundary of Yellowstone to Jackson Lake will be addressed in a subsequent plan. This plan sets forth the management philosophy for the Snake River Corridor and provides strategies for addressing issues and objectives based on that philosophy. This document also describes the affected environment and discloses the potential environ-

mental consequences that may result from implementation of various alternatives.

This section, Part One, contains a general summary of the natural history of the Snake River Corridor, a justification for an updated Snake River Management Plan and an overview of past legislation and planning pertaining to the area. Part Two identifies the issues related to the corridor and describes management objectives for this plan. Part Three chronicles the existing conditions on the river and the resources present in the corridor. Part Four identifies the alternatives developed to resolve the issues. Part Five describes the environmental consequences of the alternatives. Finally, Part Six defines indicators and standards relating to the desired future conditions. It also outlines future monitoring and research needs.




Geologists regard the Teton Range as one of the most impressive examples of fault-block mountains in the world. The peaks of the range, which tower 3,000 to 7,000 feet above the sagebrush flats and riparian Snake River environment, culminating in the Grand Teton (13,770 feet), dominate the park's landscape. The mountains began to rise about nine million years ago and are the youngest in the Rocky Mountain chain.


Several piedmont lakes rimmed by moraines from the last glaciation period lie at the foot of the Tetons, forming part of the scenic foreground. The Snake River riparian zone, with its colorful cottonwoods and outstanding wildlife habitat, lies in the foreground.

The Snake River originates in the highlands of northwestern Wyoming's Teton Wilderness Area, flows west through a portion of Yellowstone National Park, south through John D. Rockefeller Jr. Memorial Parkway and then enters Jackson Lake in Grand Teton National Park. After leaving the lake, the Snake River flows east and then south for about 25 miles before crossing the south boundary of Grand Teton National Park.

The popularity of float trips on the Snake River in Grand Teton National Park has increased steadily in the last decade. Between 1985 and 1996, total annual float trip use (expressed as numbers of people participating) in the 25-mile section of the river between Jackson Lake Dam and Moose increased an average of 6.8%. The greatest increase in overall use occurred during 1987 with an increase of 44% during that year. The greatest increase in type of use has occurred on commercial river trips, with scenic floats increasing 39% and guided fishing trips increasing 230% since 1985.

Scenic floating, as it has evolved in Grand Teton National Park, is generally a brief daytime activity. Fishing trips usually last all day. A float or fishing trip on the Snake River offers the visitor an unparalleled opportunity to observe and photograph the outstanding mountain scenery, while leisurely traveling through some of the best wildlife habitat in the area.





At present levels of use, scenic floating and fishing have caused some impacts on natural resources. Damage to or elimination of vegetation and accelerated erosion of stream banks are evident in all access areas.

More serious is the apparent deterioration of intangible resources—those factors that make floating and other visitor activities in a natural area enjoyable and unique. Crowding, queuing, dust and noise are common daytime features at many of the access areas. During most summer days, floaters see numerous other boats between Deadmans Bar and Moose. When the river clears and fishing conditions are good, a scenic floater on the river passes many anchored fishermen, which detracts from the wilderness experience. Conversely, fishermen on the river are affected by a steady stream of scenic floaters. Consideration of these factors suggests that present levels of float-trip use are near (or may exceed) the optimum capacity and suggest that additional detractions or significant increase in use should be avoided.

THE NEED FOR THIS PLAN

The most recent Snake River Management Plan was completed in 1975 and updated in 1981. Since that time river use has steadily increased, placing demands and pressure on resources and existing facilities. In June 1994, the Snake River Corridor Project was organized as a multi-agency planning cooperative. The intent of the Snake River Corridor Project was to initiate dialogue between the different management

agencies in order to coordinate management of the Snake River Corridor from Jackson Lake Dam to Palisades Reservoir. The Snake River Management Plan for Grand Teton National Park will tier off of the Snake River Corridor Project.

A Draft Snake River Management Plan was completed and released for a 60 day public review period in August, 1996. This plan takes into account those comments received during that review period.

PROJECT SCOPE AND OBJECTIVES

The National Park Service determined that an updated Snake River Management Plan was needed not only to resolve present issues, but to ensure wise choices for future management and use of the river corridor.

This Snake River Management Plan builds upon the goals set forth in the Grand Teton National Park Master Plan and Statement for Management which are discussed later in this chapter. Once finalized, it will guide National Park Service stewardship of the river corridor. The plan has been designed to achieve the following objectives:

- Identify the biological, cultural and scenic values that define the unique character of the Snake River Corridor.
- Identify key issues to be resolved in this plan.



- Formulate a management framework that responds to the issues and effectively guides National Park Service management of the river corridor.
- Determine the appropriate carrying capacities for visitor use of the river corridor.
- Present alternatives for visitor use of the river corridor.
- Develop a resource monitoring and implementation schedule for the completed plan.

LEGISLATIVE AND PLANNING HISTORY

Park Purpose

Grand Teton National Park was established to protect the area's spectacular scenic values, as characterized by the geologic features of the Teton Range and Jackson Hole, and the native plant and animal life. The original Grand Teton National Park (about 96,000 acres) was established by Congress on February 29, 1929 (45 Stat. 1314). The park was enlarged to its present size by Congress on September 14, 1950 (Public Law 81-797, 64 Stat. 849), to include a portion of the lands within Jackson Hole National Monument. The national monument had been established by Presidential Proclamation (No. 2578, 57 Stat. 731) on March 15, 1943.

Planning Background

There are currently three plans that address protection and visitor use of the Snake River Corridor. These plans all share one theme: protecting the natural and cultural resources and providing for a quality visitor experience.

Below is a summary of each of these documents.

Master Plan

Grand Teton National Park's Master Plan, approved in 1976, provides general direction for management of the park. This master plan introduces a number of management objectives, which directly influence the Snake River Management Plan. These objectives are:

- To manage access points to the Snake River for scenic and fishing float trips, so as to perpetuate a natural and wilderness-type environment through which float-trip groups can travel. This will be done by undertaking studies to determine the capacity of visitor use on and along the Snake River.
- To manage the Snake River cutthroat trout so as to ensure the perpetuation of a native wild population as part of a natural ecosystem within its range in Grand Teton National Park.
- To manage the biotic resources of the park for the purpose of perpetuating the indigenous plant and animal associates of the Teton Range and Jackson Hole, in as natural a condition of dynamic equilibrium as is feasible.
- To interpret the historical resources within the park, not only by giving attention to the human historic niche in this environment, but by interpreting the historical events that took place at Cunningham Cabin, Menor's Ferry, and Maude Noble Cabin, in context with the nation's history in general.

Statement for Management

A more recent planning document containing management objectives that directly relate to management of the Snake River Corridor is the Statement for Management which was approved in October, 1989. The following management objectives contained in that document relate to this planning effort:

- Manage the Snake River as a natural environment by limiting development and use levels.
- Maintain all waters in Class I condition.
- Manage all park natural resources under ecosystem concepts that are aimed at perpetuating natural systems rather than individual species or features.
- Establish ecologically-sound limits and manage all activities and uses to ensure compatibility with the preservation of park resources and a positive visitor experience.
- Preserve, manage, and display sites, buildings, and objects that are significant and represent the broad sweep of western history and prehistory.
- Provide future generations the opportunity to enjoy, comprehend, and appreciate these tangible resources and their historical significance.

Existing Snake River Management Plan

By the mid-1960's there was concern that increasing commercial float trip traffic on the Snake River was having detrimental effects on the Snake River corridor within the park. In 1969 the Secretary of the Interior indicated the need to establish recreational

carrying capacities for national parks, and as a specific example of a use needing limitations, the Secretary cited float trips on the Snake River in Grand Teton National Park. In addition, the National Park Service is required by law to address carrying capacity in planning for parks: the 1978 National Parks and Recreation Act (PL. 95-625) requires each park's general management plan to include *identification of and implementation commitments for visitor carrying capacities for all areas of the unit*. Part five of this plan contains a complete description of the carrying capacity concept and process for meeting this objective.

On August 28, 1974, the Director of the National Park Service issued a river running policy statement which directed all parks having river boating activities to develop management plans by April 30, 1976. The policy required that carrying capacity be determined for each river, that an interim capacity could be established if additional data were needed, and that use could be rationed if it exceeded the determined capacity.

As directed by this policy, Grand Teton National Park developed the Snake River Management Plan (Grand Teton National Park 1975), which went into effect in April 1975 and was incorporated into the Natural Resource Management Plan.

The Snake River Management Plan of 1975 was reviewed and updated by park management in the fall of 1981.

PLANNING BY OTHER AGENCIES WHICH AFFECTS THE SNAKE RIVER

Snake River Corridor Project

The Snake River Corridor Project is a cooperative planning effort currently being undertaken by fifteen agencies and organizations. The Snake River Corridor project was initiated with the hope of conserving the corridor's natural resources while balancing demand for recreational use and community needs for housing, transportation and utilities. The project provides a framework for coordinating numerous agency management efforts affecting the Snake River. The focus of the project is the 69-mile reach of the Snake River from Jackson Lake Dam to Palisades Reservoir.

The mission of the Snake River Corridor Project is *"to promote coordinated, broadly-supported management of the Snake River Corridor that protects and enhances natural resources and appropriate recreational opportunities."*

The project goals are:

- To preserve and enhance the natural character of the Snake River Corridor.
- To provide improved recreational opportunities within the corridor, consistent with minimum impact upon river resources, adjacent private lands, and quality of experience.
- To create a system of cooperative planning and river management between local, state, federal agencies, and community organizations.

- To date, the project has held several public workshops to identify concerns about the river corridor and develop goals for the project, and to increase communication and cooperation between agencies and organizations.

Bridger-Teton National Forest

The Bridger-Teton National Forest completed its Snake River Final Area Analysis in August 1996, which addresses the 25.5-mile section located above the Palisades Reservoir, beginning at the South Park Bridge. This plan is designed to meet the following objectives:

- Provide a variety of high quality recreational river experiences, reduce ramp congestion, and maintain scenic quality.
- Reduce visitor conflicts and improve safety.
- Reduce problems associated with camping.
- Provide long-term protection for wildlife and plants.
- Improve the self-sufficiency of the field program to provide on-the-ground visitor services.

Bureau of Reclamation

The Jackson Lake Dam Instream Flow Study Preliminary Recreation Impact Assessment was undertaken by the Bureau of Reclamation to determine how flow regimes from the Jackson Lake Dam might impact recreational activities of the upper Snake River Corridor.

Initial results of this study indicate that boat launch sites are reaching facility carrying capacity. The study states that conflicts have occurred at these sites, primarily between commercial users and private boaters. According to the study, water level changes on the Snake can and do impact carrying capacity by increasing and decreasing demand for numbers of river trips. More research is needed on effects of water on number of river trips to offer an optimum low recommendation.

Two social carrying capacity conflicts are identified in this study that apply to the park's section of the river:

1. Scenic float guides and customers on the river perceive increasing numbers of fishermen as impacting their pristine experience and ability to view wildlife. Fishermen are observed more often than floaters on the river because they stop or slow down to fish and are passed by other boaters. Floaters primarily impact each other at the river put-ins; since they move down river at the same speed as the current, they seldom see each other otherwise.
2. Another conflict exists between commercial outfitters and private rafters. Private rafters see outfitters as controlling and dominating river opportunities, while commercial rafters see private rafters as a threat due to their growing numbers.

This study goes on to suggest that these conflicts can be solved through management schemes. Problem one can be solved through zoning of the water: the conflict between floaters and anglers can be reduced by providing early season (mid-June) high runoff flows combined with sustained releases of approximately two weeks. This type of flow rate would flush the river, making multiple channels of the braided sections

of river navigable. This would increase carrying capacity, allowing floaters to see fewer fishermen and possibly more wildlife. The study also suggests designating time blocks mainly for private rafters and for limited commercial rafting. These blocks for private rafters should be during off-peak times.

The study also proposes periodic spring flushing of side channels and isolated points along the river, which is considered to be of great benefit to the natural system as well as the recreational users. These high flows clear debris from the channels, making them navigable, thereby increasing the variety of opportunities for fishing and wildlife viewing for scenic floaters. They also reduce conflicting encounters between rafters and fishermen. This high water revitalizes the riparian systems providing nutrients and cleaning silt deposits from gravel beds. Additional mid-size gravel is moved by these flows into the mouths of side tributaries refreshing valuable cutthroat spawning habitat.

Wyoming Game & Fish

The Wyoming Game & Fish Department has been a cooperating agency in managing the fisheries of the Snake River. This agency developed a management plan for the Snake River Basin in November, 1995. It contained the following management objective:


The principle management objective in the Snake River drainage is to preserve the wild trout fishery and the integrity of the indigenous Snake River cutthroat trout. Maintaining the supply and increasing the diversity of sport fishing opportunities in the drainage is also a primary management objective.

In October of 1990, a contract was signed between the State of Wyoming and the Bureau of Reclamation (BOR) for 33,000 acre-feet of water. The water is used to seasonally enhance instream flows below Jackson Lake Dam.

Future Management Activities

Wyoming Game and Fish has proposed the following actions for the Snake River:

- Maintain current management activities and continue as the lead agency in the management of Wyoming's fisheries resources.
- Continue to monitor biological and social response to special regulations.
- Pursue a habitat restoration project for the Upper Bar BC spring creek within Grand Teton National Park.
- Initiate a Snake River cutthroat trout telemetry study with the National Biological Service to determine seasonal movements.
- Rejuvenate spawning gravels on spring creeks as necessary.
- Update drainage surveys as pressure warrants.
- Inventory streams and lakes where information on non-game species is limited or lacking.



PART TWO, PLANNING ISSUES



"A river traverses time as well as topography it runs not only through country but through mankind." Wallace Stegner

PART TWO, PLANNING ISSUES

The issues presented in this section establish the framework for the entire Snake River planning effort. They are the culmination of information gathered from public workshops, written comments, consultation with other public agencies, and in-house meetings with NPS staff.

PUBLIC PARTICIPATION

From the outset of the planning process, public input played a critical role in determining the problems and opportunities that would be addressed by the plan. To date, three public workshops have been held during November 1994, June 1994, and March 1995. In addition two open houses were held for float and fishing trip permit holders in October 1995 and 1996 to hear some of their comments and suggestions about river regulations, manipulation and commercial use. An additional meeting was held in conjunction with the U.S. Forest Service in February 1997 to discuss possible options for managing commercial fishing.

A Draft Snake River Management Plan was released for public review for a 60 day period from August 13 through October 15, 1996. 34 comments were received, and those comments are incorporated throughout this plan.

Additional public participation will be sought throughout the rest of this process by a variety of means: notices will be mailed to workshop participants, public agencies, members of the public who contributed previous comments, and local and regional publications advertising the commencement of a 30-day public review and comment period for this plan.

PLANNING ISSUES

Listed below and continuing on the following pages are the planning issues that were identified as critical to the creation of a river management plan that is environmentally-sensitive and responsive to the needs of park visitors.

All of the planning issues share one topic: the level of different types of recreation use on the river. How much recreation use can and should

the river support? Visitors to the Snake River were estimated to be over 104,700 in 1996, while the previous Snake River Management Plan defined the river's carrying capacity at 80,000. The general goal of this plan is to provide a range of rewarding recreational opportunities while protecting the natural and cultural resources of the river corridor.

Resource Protection and Enhancement

Public opinion obtained during the scoping process emphasized the desire to maintain the river's natural character in order to protect wildlife and scenic quality. These values must be of primary importance in the formation of this management plan.

Fisheries

The primary limiting factors affecting fisheries in the Snake River are winter flows, loss of instream habitat, and loss of spawning areas. Reduced winter flow below Jackson Lake Dam limits the amount of wintering habitat. Dikes encourage aggradation and loss of instream structure and prevent cottonwood regeneration within the riparian areas. Spawning habitat is degraded where livestock and wildlife winter along spring creeks. Also, flooding and gravel rejuvenation in tributary spring creeks has been greatly reduced by dike construction, resulting in a continuing loss of spawning areas.

Hydrology

It should be determined how fluctuating water levels caused by dam operations affect other wildlife, particularly waterfowl and other shore-nesting birds and amphibians.

Changes in river structure caused by the dam's artificial flows should also be explored. Floods are now infrequent and high flows have been nearly eliminated. How the river's braiding pattern, sandbars, floodplain, riparian areas, and banks are affected by these changes should be investigated.

Vegetation

The observed decline in cottonwood seed regeneration in riparian areas should be explored in light of dam openings and closures. In order to germinate, cottonwood seeds must be carried by water over gravelly areas for scarification and then deposited in soil where there is little competition. Cottonwood, a shade-intolerant species, is being outcompeted by Colorado blue spruce, a species not native to western Wyoming (B. Smith, pers. comm.). The effects of artificial river flows on cottonwood seed regeneration need to be thoroughly investigated.


Heavily used areas such as launches, concessions picnic sites, fishing spots, and parking areas along the river present special issues. The extent of site degradations, such as soil erosion, soil compaction, and vegetation trampling at these disturbed areas, needs to be addressed and quantified.

Wildlife

Areas within 1/2 mile from known eagle nests are closed to public access from February 1 to August 15. Eagles complete nesting and fledging of young during this time period. It needs to be determined whether the 1/2 mile distance is adequate to protect the nesting territories of this species.

Temporary habitat closures for other species should also be explored. Areas within 250 yards of the nesting sites of osprey, trumpeter swan, and great blue heron are presently closed from February 1 to August 20, when posted. It has been determined that osprey and herons complete nesting and fledging of young during this time period, but trumpeter swan cygnets do not fledge until mid-September. Perhaps swans should not be included with the other species, but should have their own extended closure.

Trumpeter swans do not presently nest in the river bottom areas, but historically they nested in the Oxbow Bend. It is likely that swans abandoned this nesting territory because of human disturbance. Lockman (1988) reported that shoreline fishing, visitor activity, and boating on the Oxbow markedly decreased the capability of this area to support breeding swans. A closure might make the area more attractive in the future to a swan pair seeking a breeding territory.



Drawing by Denise Casey

In addition, two great blue heron rookeries in the Oxbow Bend have not been used in a number of years. The Northeast Island rookery last produced young in 1984, and the West Island rookery has not been productive since 1990 (Reid 1994). More research is needed to determine the effects of human activities on heron nests.

Wintering wildlife is presently protected by the December 15 to April 1 river bottom closure, which extends from the dam south to Menor's Ferry. This also protects the nesting activities of raptors and other birds not included by the aforementioned closures.

Visitor Use

The impact that river users have on wildlife should also be explored.

Impacts to wildlife including elk, deer, bear, or bison have never been adequately quantified.

Several commercial companies have used meal sites along the river for their guests. The Lodge Company also uses a picnic site in the Oxbow area to host meals for up to 500 people at a time (Oxbow files, S&RM). The effects of these activities on wildlife and vegetation have not been quantified. A decision should be made about whether these types of activities are appropriate in the river bottom, especially in sensitive riparian areas such as the Oxbow.

A related issue concerns bear attractants which are frequently made accessible to bears and other wildlife along the river by park visitors and concession companies (Baptiste and Cain 1993, 1995). For example, undesirable fish caught below the dam are often left on the shore to decompose in a location heavily used by visitors and frequented by bears. Also, panhandling bears have obtained garbage scraps in recent years at the Grand Teton Lodge Company's Deadmans Bar picnic site, which is located in prime bear habitat.

With grizzly bears now known to be moving through the riparian areas, the issue of unsecured bear attractants presents a critical safety concern for park visitors: in 1994, a grizzly bear with three cubs moved through the vicinity of the Triangle X riverside picnic site (Baptiste and Cain 1994).

Access

Current boat launch areas become crowded during the summer months, with boaters waiting in line to launch or exit the river. At some access points, gravel builds up and impedes



launch use. The number and location of launch sites need to be reviewed and alterations to the landings evaluated: should there be slip clearance or dredging, alternate locations as the river character changes, or permanent vs. temporary landings designated?

Parking at some launch areas becomes congested and is not well defined. At times, the vault toilets at Deadmans Bar and Pacific Creek have long lines. What level of development is appropriate at the launch areas that will not further impact the riverine environment?

Commercial and Private River Use

The perception exists that the river may become overcrowded in the future. This perception ties in with the

often misunderstood concept of carrying capacity.

Carrying capacity means the amount and type of recreational use an area can accommodate without altering either the environment or the user's experience beyond the degree of change deemed acceptable by the management objectives for the area.

If use of the Snake River continues to advance at the current rate, there will be increased stress on aesthetic and wildlife resources. This stress will be caused by the growing number of largely unregulated non-commercial and guided fishing boats and increased use of commercial scenic launches.

What is now needed is a reevaluation of carrying capacities for the Snake River, based on scientific recommendations. This reevaluation will then establish updated management objectives for the river, to determine acceptable upper limits of use.

In addition to developing new carrying capacities, methods for staying within these limits need to be generated and explored.

THE GOALS OF THE SNAKE RIVER MANAGEMENT PLAN

The basic goals of Grand Teton National Park in the management of the Snake River reflect those of the NPS as expressed in the National Park Service Act of 1916 and the Redwoods Act of 1978. The main objective is to *“...conserve the scenery and natural and historic objects and wildlife therein and to provide for the enjoyment of the same [and] leave them unimpaired....”* These legislative mandates are the driving force behind management decisions affecting NPS areas across the nation. The mandates which apply to this project are:



- 1) To preserve the natural resources and environmental processes of the Snake River corridor and the associated riparian and river environments. To protect the Snake River and its riparian environment from unacceptable change caused by human activities.
- 2) To protect and preserve the historic resources in the river corridor and associated environments.
- 3) To provide Snake River users the opportunity to participate in and appreciate a variety of unique experiences offered by Grand Teton National Park as a whole and by the riverine environment in particular. To provide an opportunity for all participants to enjoy a rewarding river-running experience.
- 4) To provide a quality Snake River experience through Grand Teton National Park:
 - a) By determining the impact of crowding and use levels on visitor experience.
 - b) By then establishing a human use capacity and a limitation on use that protects the river's natural resources and processes.
- 5) To provide opportunities for people of various ages and abilities to participate in river trips.

PART THREE, RESOURCE OVERVIEW





"The Snake is the largest river in Wyoming, and tenth longest in the United States. . . . The river through Jackson Hole may be the richest high elevation riparian habitat in the nation. . . . There is no North American rival combining wildlife and mountain scenery. . . ."

Tim Palmer. "The Snake River: Window to the West"

PART THREE, RESOURCE OVERVIEW

This section presents a description of the environment and factors affecting the Snake River corridor in Grand Teton National Park. A variety of documented literature contributed to the construction of this overview. A portion of information was adapted from the existing Grand Teton National Park Snake River Management Plan documented in 1975. Other reference materials are cited in the bibliography.

NATURAL RESOURCES

Topography & Geology

A prominent visual feature of Grand Teton National Park is the abrupt rise of the Teton Range from the Jackson Hole valley floor. These mountains formed through normal faulting processes, which began approximately nine million years ago. Within the park, the Tetons rise to 7,000 feet above a valley which spans about forty-eight miles along a general north-south axis, extends three to twelve miles wide, and lies between 6,000 and 7,000 feet above sea level.

The geology of the Jackson Hole area is one of the most documented in North America. Sedimentation and extensive erosion has occurred due to various stages

of volcanism, glaciation, and uplift (Kiefling 1978). Along the base of the Teton Range, a series of large piedmont lakes mirror the peaks. Of these glacier-formed lakes, Jackson Lake is the largest. Relatively small streams drain from the steep-walled canyons along the east front of the range while larger tributaries from the north and east drain out of the highlands. All of these streams flow into the Snake River.

The Snake River and surrounding lowlands were formed during three different glacial periods: the Paleozoic, Mesozoic, and Tertiary, whose features are geographically young. Sand, gravel and boulders are remnants of alluvial and glacial deposits from these three periods (Kiefling 1978). Glacial and recent



alluvial terraces parallel the present flood plain throughout sections of river within the park. South of Jackson Lake, the Snake River has cut into outwash of the most recent glacial advance and the substrate consists almost entirely of quartzite cobbles embedded in a sandy-silt matrix. The river is relatively active on its floodplain and is braided throughout nearly half its length in the park. Recent Teton fault activity has caused a westward shift in the course of the river through Jackson Hole.

Soil

Soil samples of the Snake River floodplain and terraces within Grand Teton National Park consist primarily of sandy to coarse loams. These soil sections were formed in alluvium and glacial deposits and are characterized by being very deep. Soil found on the low percentage slopes of the floodplain is generally poorly drained, whereas soil found on the steeper slopes extending from the floodplain to the foothills is well drained (USDA 1982).

Hydrology

The Snake River is a complex water system both in and outside Grand Teton National Park. Draining approximately 3,465 square miles in Wyoming, this major tributary of the Columbia River originates on the western slope of the continental divide in northwest Wyoming's Teton Wilderness Area. Flowing westward, the river passes through a portion of Yellowstone National Park, south through John D. Rockefeller, Jr. Memorial Parkway and enters Jackson Lake within Grand Teton National Park boundaries. At this point the drainage area covers 486 square miles (USGS survey 1994).

Jackson Lake presently encompasses an area of 25,730 acres and is used to store

water for irrigation in Idaho's Snake River Valley. The reservoir was first built in 1906 by installing a log crib dam at the outlet of the natural lake to create a useable capacity of 300,000 acre-feet. This dam washed out in 1910 and was replaced by an earth dam, increasing usable capacity to 380,000 acre-ft. Usable capacity was subsequently increased to 790,000 acre-feet in 1916 when the earth dam was raised, and then to 847,000 acre-feet in 1917 by dredging the outlet. The Bureau of Reclamation rebuilt the dam between 1987-89, maintaining the same capacity (USGS 1994).

The Snake River flows east out of Jackson Lake and then south for about 25 miles before crossing the south boundary of the park. The Bureau of Reclamation dam at the outlet of Jackson Lake regulates the flow for four miles downstream where two major tributaries, Pacific Creek and Buffalo Fork River, discharge into the Snake River. Additional smaller tributaries flow into the river in this stretch of water. As it exits the park, the river flows south and west through the valley of Jackson Hole for about 47 miles. It then turns south and east, following a fault structure, and enters the steep-walled Snake River canyon through which it flows south and then west into Idaho where it enters Palisades Reservoir.

Water Quality


The chemical quality of the water in the upper Snake River is good, being slightly alkaline (ph 7.6-8.4) with relatively small amounts of dissolved materials. (Dissolved solids vary throughout the year from 86 to 251 mg/liter.) Both alkalinity and dissolved material increase somewhat downstream.

Water Flows

Section 9 of PL 87-187 (64 Stat. 849) and a Memorandum of Understanding dated November 29, 1956, between the National Park Service and the Bureau of Reclamation, provide for the operation guidelines of Jackson Lake Reservoir. Congress clearly intended that expansion of the park would not conflict with Bureau of Reclamation operations or with the rights of the space holders in the reservoir. The Bureau retains complete and exclusive control of the flow and use of water in the reservoir including the right to raise and lower the water level at will; however, the Bureau will consider maintaining a constant level from June through September and will consult with the NPS before developing anything in the operation zone that might affect recreational facilities or use.

In October of 1990, a contract was signed between the State of Wyoming and the Bureau of Reclamation (BOR) to maintain minimum acceptable flow levels of 280 cubic feet per second (CFS) during the winter to protect the trout fishery. According to Annear (1989), "management objectives for the Snake River should emphasize establishment of historic average releases or natural instantaneous inflows to the reservoir, whichever is less, as a base flow to the river." A release of 400 cfs, which is slightly less than an average winter flow, is recommended as the optimal minimum winter flow. A flow of 400 cfs would protect

Jackson Lake Dam Average Outflows 1991-1995



	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
1995-	525	511	624	840	3,802	7,204	3,422	1,018	634	406	366	502
1994-	484	538	390	1,139	4,245	1,921	597	615	367	436	265	458
1993-	504	467	481	703	5,819	4,619	1,814	987	553	335	343	521
1992	360	388	401	1,724	3,645	1,833	1,152	605	403	320	485	427
1991--	489	426	526	693	4,215	5,745	1,285	653	601	477	452	467

the Jackson Lake lake trout fishery, avoid conflicts with water rights, and maintain downstream fisheries at historic levels. A flow of 280 cfs was determined to be an acceptable minimum release level (WY Game & Fish 1992).

Climate

The northwest Wyoming climate is characterized by short, cool summers and falls, and long, cold winters which tend to linger late into the spring. The combination of high elevation, low humidity and surrounding mountain ranges cause this cool climate which has a large diurnal temperature range. During summer months, daytime highs of 70-80 degrees F are commonly replaced by nighttime lows below 40 degrees F with potential for subfreezing temperatures during all summer months. Winter minimum temperatures of minus 40 degrees F are often recorded, with a record of minus 63 degrees F observed at Moran on February 9, 1933.

Precipitation in the area varies considerably. Southwest winds blowing against the Tetons, a range oriented from north to south, create a rain shadow on the mountains east side (Dirks & Martner, Anderson). Additionally, precipitation is greater in the northern part of Jackson Hole because the southern portion of the Teton Range is higher in elevation. About 75 percent of annual precipitation is in the form of snow between November and April, when ground snow cover is usually continuous.

Vegetation

Climatic, topo-edaphic, and disturbance factors create a mosaic of vegetation communities in the Snake River floodplain, terraces, and Jackson Lake area within Grand Teton National Park. This mosaic consists of forested and non-forested lands, varying in age and species composition

(Anderson 1994). Vegetation in the Jackson Hole valley can be categorized into the aquatic, riparian, and upland zones.

In the aquatic zone, consisting of aquatic and semi-aquatic vegetation in the flood channels and tributaries, watercress (*Rorippa nasturtium-aquaticum*), white watercrowfeet (*Ranunculus aquatilis*), and pondweed (*Potamogeton spp.*) are most prevalent. Watercress is found primarily in the shoreline areas; white watercrowfeet is associated with gravel-rocky bottom environments; pondweed with silt bottom areas. Other major species found in the aquatic zone are star duckweed (*Lemna triculca*), water milfoil (*Myriophyllum spp.*), mare's tail (*Hippuris vulgaris*), monkey flower (*Mimulus glabratus*), and horsetail (*Equisetum fluviatile*) (Kiefling 1978). Moss and algae are also in this zone. Both encrusting and filamentous algae are present in the river proper, with encrusting algae most common in swifter water.



A variety of vegetation species inhabit areas immediately surrounding and paralleling Jackson Lake and the Snake River. This area is what is known as the riparian zone. The riparian zone frequently has a high number of edges and strata in a comparatively small area. This results in a habitat which produces a large number of species, reflecting the diversity of plant species and community structure (Thomas et al. 1979). Sandbars, gravelbars, and abandoned river channels provide substrate for pioneer terrestrial plant communities. Narrowleaf cottonwood (*Populus angustifolia*) usually develops on gravel, interior willow (*Salix interior*) on sand, and blueberry willow (*Salix pseudocordata*) on silt and flooded areas.

Drawing by Denise Casey

In succession, these plants are often replaced by climax blue spruce (*Picea pungens*) in wetter sites and by sagebrush or bunchgrass in more xeric locations (Kiefling 1978).

The most conspicuous plant community in the riparian zone is the floodplain forest which, in addition to climax blue spruce and



narrowleaf cottonwood, contains lodgepole pine (*Pinus contorta*), quaking aspen (*Populus tremuloides*), russet buffaloberry (*Shepherdia canadensis*), red osier dogwood (*Cornus stolonifera*), thinleaf alder (*Alnus tenuifolia*), balsam poplar (*Populus balsamifera*), and willow (*Salix spp.*). The understory contains a mixture of western wheatgrass (*Agropyron smithii*), alpine timothy (*Phleum alpinum*), bluegrass (*Poa spp.*), brome grass (*Bromus spp.*), yellow sweetclover (*Melilotus officinalis*), elk thistle (*Cirsium foliosum*), redtop (*Agrostis spp.*), snowberry (*Symphoricarpu ssp.*), and woods rose (*Rosa woodsii*).

Another plant community associated with the riparian zone is the marshy meadow. In addition to willow, marshy meadows contain sedges (*Carex spp.*), bluegrass (*Poa spp.*), tufted hairgrass (*Deschampsia caespitosa*),

rushes (*Juncus spp.*), and shrubby cinquefoil (*Potentilla fruticosa*).

The upland zone, also known as the outwash plain, exists on more xeric or drier sites. The upland zone, extending from the river terraces to the foothills, takes up a large portion of the valley floor. This zone provides ideal conditions for vegetation such as big sagebrush (*Artemisia tridentata*), low sagebrush (*Artemisia arbuscula*), bitterbrush (*Purshia tridentata*), rabbitbrush (*Chrysothamnus spp.*), yarrow (*Achillea lanulosa*), bluebunch wheatgrass (*Agropyron spicatum*), Idaho fescue (*Festuca idahoensis*), balsamroot (*Balsamorhiza sagittata*), lupine (*Lupinus spp.*), and wild buckwheat (*Eriogonum spp.*). Existing in this upland zone is the sagebrush-forest ecotone. Soil texture and moisture are the primary factors affecting the ecotone between sagebrush and forest communities, with lodgepole pine advancing into the sagebrush area only during the wettest years (Anderson 1994).

Aspen (*Populus tremuloides*), a relatively short lived tree species (80-100 years), occurs in both the riparian and upland zones. It is considered a pioneer species and is succeeded by shade tolerant and longer lived species. However, this succession is reduced with the presence of recurrent fire in aspen stands. According to Anderson (1994) there has been very little aspen reproduction in the park since the early 1900s because of fire suppression.

Exotic plant species are a serious concern in the park. According to Shaw (1992), the plant species list for Grand Teton National Park contained 88 exotics in 1976. In 1992, 117 alien species were listed, representing an increase of 33 percent. Control measures are performed to reduce the popula-

tion level of high priority exotic species, using chemical, mechanical, and biological controls. These species of highest priority include musk thistle (*Carduus nutans*), spotted knapweed (*Centaurea maculosa*), diffuse knapweed (*Centaura diffusa*), Canada thistle (*Cirsium arvense*), common tansy (*Tanacetum vulgare*), common mullein (*Verbascum thapsus*), oxeye daisy (*Chrysanthemum leucanthemum*), butter-n-eggs (*Linaria vulgaris*), houndstongue (*Cynoglossum officinale*), black henbane (*Hyoscyamus niger*), dyers woad (*Isatis tinctoria*), dalmatian toadflax (*Linaria dalmatica*), leafy spurge (*Euphorbia esula*), and St. Johnswort (*Hypericum perforatum*). These species are most commonly found in the park in roadside ditches, areas grazed by cattle, and throughout the riparian zone.

A survey of exotic plants in the Snake River Bottom from the dam to the south boundary was done in 1993 (Haeker et al. 1993). In order of prevalence, the following exotics were found in the survey: Canada thistle, musk thistle, mullein, yellow toadflax, common tansy, oxeye daisy, and houndstongue.

Aquatic Invertebrates

Invertebrate productivity in the Snake River is slightly above average compared to similar rivers in the west and is an integral part of the fisheries, wildlife, and ecosystem. The aquatic invertebrate fauna is fairly complex with approximately 170 species having been collected and identified. Species diversity is much lower between Jackson Lake Dam and Pacific Creek than in areas downstream. One study showed that twenty-three major species were identified in downstream areas whereas only seven identified species exist between the dam and Pacific Creek. This may reflect fluctuating flows from dam operation, differences in substrate, and lack of niche diversity above

Pacific Creek. Caddisflies (Trichoptera), mayflies (Ephemeroptera), stoneflies (Plecoptera), and true flies (Diptera) compose over 98 percent of the total biomass of invertebrates in the river. Caddisflies of the *Hydropsyche* and *Arctopsyche* genera are the most abundant group present.

Fish

The fish fauna of the upper Snake River is species poor, which is typical of intermountain cold waters. The native fish fauna includes Snake River cutthroat trout (*Salmo clarki* spp.), mountain whitefish (*Prosopium williamsoni*), Utah sucker (*Catostomus ardens*), bluehead sucker (*C. discobolus*), mountain sucker (*Pantosteus platyrhynchus*), bonneville redside shiner (*Richardsonius balteatus*), speckled dace (*Rhinichthys osculus*), longnose dace (*R. cataractae*), Utah chub (*Gila atraria*), leatherside chub (*G. copei*), mottled sculpin (*Cottus bairdi*), and the Paiute sculpin (*C. beldingi*) (Kiefling).

Presently, four non-native salmonids inhabit the upper Snake River drainage. In 1933, both brook trout (*Salvelinus fontinalis*) and rainbow trout (*Oncorhynchus mykis*) were introduced into the drainage by the Wyoming Game and Fish Department. Brook trout can be found throughout the drainage though they prefer smaller streams and beaver ponds. The few remaining wild populations of rainbow trout are infrequently found in Jenny Lake and sections of the Gros Ventre River. In 1890, both brown trout (*Salmo trutta*) and lake trout (*Salvelinus namaycush*) were introduced into two lakes in the drainage by the U.S. Fish Commission. Within a short period of time, both species drifted into Jackson Lake and other waters throughout the drainage. Now, lake trout inhabit many surrounding lakes, whereas brown trout are mostly confined to

the Snake River and Jackson Lake (Kiefling).

The Snake River cutthroat trout (*Oncorhynchus clarki* spp.) inhabits the river between Jackson Lake and Palisades Reservoir. The population supports an important fishery and is of considerable scientific and aesthetic value. It is thought to be a separate subspecies of the cutthroat series due to its distinct fine spotting pattern and the fact that it is well adapted to large swift streams (Kiefling). Other factors defining it as a possible separate subspecies is that it is fast growing but short lived with a high rate of natural mortality. In fact, only one pair of spawners returns for every 2,000 eggs laid (WGFD). During spawning in the spring of the year, Snake River cutthroat migrate into the tributaries. Spawning success depends highly upon the conditions of these tributaries which are easily affected by migratory blocks (beaver dams, natural cascades of water, and irrigation headgates), lack of cover, substrate size, turbidity, flooding, pollution from livestock, and lack of food production. Additionally, concerns regarding the future of the Snake River cutthroat fishery have increased in recent years due to increased water development, irrigation water demands, loss of aquatic habitat from flood control management, and greater fishing demand.(Rowan).

Fishing regulations in Grand Teton National Park are contained within the Wyoming Game and Fish state fishing regulations. The use of fish or fish eggs for bait is prohibited. Lakes closed to fishing to protect nesting waterfowl include: Christian Ponds, Hedrick's Pond, Moose Pond, Sawmill Pond and Swan Lake. Blacktail Spring Creek, Upper Bar BC Spring Creek, Lower Bar BC Spring Creek, and Cottonwood Creek downstream from the Saddle Horse concession

bridge are closed to fishing from November 1 through July 31. The period from April 1 through July 31 is closed to protect spawning Snake River cutthroat trout.

The first special regulation initiated for the Snake River occurred in 1973. The creel limit on cutthroat trout between Jackson Lake Dam and the Moose Bridge was reduced to two fish. In 1986, a slot limit was initiated on the Snake River from 1,000 feet below Jackson Lake Dam to Moose. The regulation established was a limit of four trout per day with only one trout to exceed 15 inches. All trout 11 to 15 inches must be released, and fishing done with artificial flies or lures only. In 1990, the slot range was extended to protect all fish between 11 and 18 inches. This was done to protect a greater percentage of the spawning fish.

Beginning in 1996, there were two new regulations implemented on the Snake River:

- 1) The creel limit on the Snake River from Yellowstone National Park to the West Table boat ramp was reduced to three fish and 2)
- 2) The slot limit from 1,000 feet below Jackson Lake dam to the Wilson Bridge was modified to 12 to 18 inches.

According to Annear" management objectives of the Snake River should emphasize establishment of historic average releases or natural instantaneous inflows to the reservoir, whichever is less, as a base flow to the river." A release of 400 cfs, which is slightly less than the average winter flow, is recommended in Annear's study as the optimal minimum winter flow. A flow of 400 cfs would protect the Jackson Lake lake trout fishery, avoid conflicts with water rights, and maintain downstream fisheries at historic levels. A flow of 280 cfs was determined to be an acceptable minimum release level.

Amphibians and Reptiles

The boreal chorus frog (*Pseudacris triseriata*), the spotted frog (*Rana pretiosa*), the boreal toad (*Bufo boreas*), and the tiger salamander (*Ambystoma tigrinum*) are all native to the Snake River area. The leopard frog (*Rana pipiens*) has not been observed in the park since the 1950s and is believed to have been extirpated (Peterson 1992).

Boreal toads, spotted and chorus frogs inhabit Schwabacher Pond, a beaver pond adjacent to the Snake River at the upper Schwabacher Landing. In 1995, this site supported breeding populations of chorus frogs and boreal toads. Although no spotted frog egg masses were found in the immediate vicinity, a number of juvenile spotted frogs used the area, suggesting that there probably was a breeding site nearby (Baptiste 1995). Spotted and chorus frogs and boreal toads are likely to be found in similar areas throughout the Snake River corridor.

Two species of garter snakes, common (*Thamnophis sirtalis*) and wandering (*T. elegans*), inhabit the riparian and upland areas around the Snake River. The sagebrush lizard (*Sceloporus graciosus*) is rare in Grand Teton National Park. Only four observations of this lizard have been documented since 1965, two occurring in the Snake River upland zone (S&RM database).

Birds

According to the Grand Teton National Park Resources Management Plan (1995), there are over 300 species of birds within the park. Some of the more prominent species which use the Snake River aquatic and riparian zones for feeding, nesting, and loafing are the white pelican (*Pelecanus erythrorhynchos*), great blue heron (*Ardea herodias*), bald eagle (*Haliaeetus*

leucocephalus), osprey (*Pandion haliaetus*), trumpeter swan (*Cygnus buccinator*), Canada goose (*Branta canadensis*), and sandhill crane (*Grus canadensis*). A variety of other raptors, waterfowl, and neotropical migrants also use the river corridor.



Of particular interest, in relation to the intent of this project, are the bald eagle, osprey, great blue heron, and trumpeter swan, all protected by seasonal closures on the river (Grand Teton National Park 1994, National Park Service 1994). There are six known bald eagle nests


along the river corridor; all were used in 1995. Eight of the 17 known osprey nests and three of four known heron rookeries located along the river corridor were occupied in 1995 (S&RM database). Another heron rookery in the Oxbow Bend is no longer used and may have been abandoned due to human disturbance (Reid 1994). Trumpeter swans historically nested in the Oxbow Bend and Sawmill Ponds areas but presently use the river corridor only as a wintering area. It is believed that the Oxbow Bend swan nest also was abandoned due to human disturbance (Grand Teton National Park 1988). Thirty-nine swans were counted between the Jackson Lake Dam and Moose during the January, 1995 mid-winter swan survey (U.S. Fish & Wildlife Service 1995a).

A number of other birds use the riparian and upland areas for nesting, loafing, and feeding. Red-tailed hawks (*Buteo jamaicensis*), common ravens (*Corvus corax*), great-horned owls (*Bubo virginianus*), and

Canada geese are some of the species known to nest in the river bottom areas.

Mammals

Several of the park's 54 species of mammals use the Snake River corridor. Beaver (*Castor canadensis*), river otter (*Lutra canadensis pacifica*), and muskrat (*Ondatra zibethicus*) inhabit aquatic and riparian zones. Small mammals such as red-backed voles (*Clethrionomys gapperi*), deer mice (*Peromyscus maniculatus*), pocket gophers (*Thomomys talpoides*), squirrels (*Spermophilus* sp.), and chipmunks (*Tamias* sp.) are abundant in riparian and upland areas and provide an important food base for carnivorous mammals such as coyotes (*Canis latrans*), martens (*Martes americana*), badgers (*Taxidea taxus*), and weasels (*Mustela* sp.). Larger, more conspicuous mammals which use the riverine areas include moose (*Alces alces shirasi*), bison (*Bison bison*), elk (*Cervus elaphus nelsoni*), mule deer (*Odocoileus hemionus hemionus*), pronghorn antelope (*Antilocapra americana americana*), black bear (*Ursus americanus cinnamomum*), mountain lion (*Felis concolor*), and grizzly bear (*Ursus arctos horribilis*).



Elk, moose, and bison use the riverine areas during the summer for calving (see map). Elk and bison calve in riparian and upland areas west of the river from the Oxbow south to Burned Ridge. Elk also calve west of the river from the north end of

Timbered Island south to Cottonwood Creek, and in a small area between Lake Creek (near Phelps Lake) and the Snake River.

Moose and mule deer winter in the river bottom, along with small numbers of elk and bison.

The Snake River bottom east of the river is open to elk hunting from Spread Creek south to Ditch Creek from approximately October 14 through December 3, as part of a park-wide elk reduction program (National Park Service 1995).

Rare and Endangered Species

All of the five endangered or threatened species federally listed for this area have used the Snake River corridor: the endangered peregrine falcon (*Falco perigrinus*) and whooping crane (*Grus americana*), the threatened bald eagle (*Haliaeetus leucocephalus*) and grizzly bear (*Ursus arctos horribilis*), and the gray wolf (*Canis lupus*), now considered experimental. As of November, 1994, all wolves within Wyoming are regarded as part of the nonessential experimental wolf population. On National Park and National Wildlife Refuge system lands however, wolves are still considered a threatened species and are fully protected under Section 7(c) of the Endangered Species Act (Fish and Wildlife Service 1995).

Peregrine falcons nest in and migrate through the park. No peregrine nests are located in the Snake River corridor, but park files contain 33 documented sightings of peregrine falcons in riparian and upland areas of the river, indicating use of the area for traveling and foraging. Observations have occurred from the early 1960s until the present in the months of April through October.

The whooping crane is expected in this area as a migrant species (U.S. Fish and Wildlife Service 1995b). From 1978 through 1995, there have been twelve documented observations of whooping cranes in the Snake River corridor. Of these, two were on the ground foraging or loafing, and seven were observed flying within the corridor. The remaining three whooping crane observation reports did not contain specific information about the birds' behavior (S&RM database).


Bald eagles use the Snake River corridor throughout the year. As previously mentioned, six bald eagle pairs currently nest, feed, roost, and loaf along the river corridor.

Tracking data on grizzly bears collared by the Wyoming Game and Fish Department indicate that at least three different grizzly bears used the Snake River corridor area in 1994 and 1995 (Baptiste and Cain 1994, 1995).

Gray wolf sightings are rare in the park; in the past 20 years, there have been no verified gray wolf sightings in the Snake River corridor.

The U.S. Fish and Wildlife Service (1994) has also identified the following fourteen candidate species which may occur within the project area. All are category 2 species, which means that current available data is insufficient to support listing as endangered or threatened.

Preble's shrew (*Sorex preblei*)
Spotted bat (*Euderma maculatum*)
North American wolverine (*Gulo gulo luscus*)
North American lynx (*Felix lynx canadensis*)
Trumpeter swan (*Cygnus buccinator*)
Harlequin duck (*Histrionicus histrionicus*)



Drawing by Denise Casey

Northern goshawk (*Accipiter gentilis*)
Loggerhead shrike (*Lanius ludovicianus*)
Western boreal toad (*Bufo boreas*)
Spotted frog (*Rana pretiosa*)
Leatherside chub (*Gila copei*)
Jackson Lake Springsnail (*Pyrgulopsis (Fontelicella or Amnicola) robusta*)
Jackson Lake Snail (*Helisoma (Carinifex) jacksonense*)
Payson's bladderpod (*Lesquerella paysonii*)

A number of these candidate species are known to have used the Snake River corridor. Trumpeter swans regularly winter in the riverine areas. There have been documented sightings of wolverine, lynx, harlequin duck, northern goshawk, and loggerhead shrike in the river corridor. The boreal toad, and probably the spotted frog, breed in the Schwabacher Landing area, and are likely to breed in other areas along the river corridor.

Closures

A number of seasonal closures and public use limits are in effect along the Snake River (National Park Service 1994). These include the following areas:

- From December 15 to April 1, the Snake River floodplain from the Buffalo fork downstream to Menors Ferry crossing north of the Moose development, is closed to all public use for protection of wildlife during critical wintering or nesting periods.
- To protect bald eagles during nesting and fledging periods, all lands within 1/2 mile of all bald eagle nests are closed from February 1 to August 15, when posted.
- All lands within 250 yards of nesting sites of osprey, trumpeter swan, and great blue heron are closed from February 1 to August 20, when posted, to protect birds during nesting.
- Cottonwood Creek is closed to fishing from November 1 to August 1 from the outlet of Jenny Lake to its confluence with the Snake River.
- The Snake River for 150 feet below the downstream face of the Jackson Lake Dam is closed to fishing year-round.

CULTURAL RESOURCES

Cultural Resources Overview

People have used the Snake River Corridor since prehistoric times. Archeological surveys along the floodplain below the dam have been limited, although reconnaissance surveys have been completed for most of the corridor. Wright (1974) found no evidence of prehistoric man in an area north of Moose where a new sewage treatment plant was under construction. Love (1972) hypothesized that the Snake River was a barrier to travel from east to west for the prehistoric inhabitants of the valley. The archeological base maps from 1990 confirm this, as few archeological sites have been located in the area immediately west or east of the river, between Ditch Creek and Spread Creek. Most of the existing archeological sites near the floodplain are located to the east on terraces set back from the river. It is likely that regular channel changes would displace or destroy archeological material on the floodplain. Prehistoric campsites around lakes and the Snake River delta area above Jackson Lake provide the largest source of information concerning prehistoric life in Jackson Hole. Further archeological surveys will continue



to investigate and document the prehistoric cultural resources in the Snake River corridor.

Europeans first entered the valley to trade fur in the early 1800's. Undoubtedly, some individuals trapped beaver along the Snake River. Government expeditions and miners visited the valley during the period between 1850 and 1880. The first permanent Jackson Hole settlers arrived in 1884. Extensive prospecting occurred on the floodplain during 1880 to 1900. A number of placer claims were filed—mostly near Pacific Creek, Spread Creek, and Deadman's Bar. Evidence of old placer mining activity is most conspicuous in the Deadman's Bar area. None of the claims were patented and the area was withdrawn from mineral entry when the Monument was established in 1943.

The Snake River Corridor encompasses six areas which contain historic buildings and structures. The National Park Service is currently surveying and evaluating the extant historic resources of Grand Teton National Park to determine which resources are eligible for inclusion in the National Register of Historic Places. This formal determination of eligibility process should be completed in 1997. The extant cultural resources near the Snake River are primarily early 20th century tourist-oriented facilities. Although there were homesteads and working ranches in the area, traces of these operations have been removed by the National Park Service.

Park Policy Regarding Historic Sites in Riparian Zones

The legal mandates for management of cultural resources in the Snake River Corridor are specified in the NPS Floodplain Management and Wetland Protection Guide-


lines of 1980. These guidelines specify procedures to avoid long and short term adverse impacts associated with occupancy and modifications of floodplains. The guidelines also specify how to prevent direct or indirect support of development in floodplain. Grand Teton National Park has implemented policy and procedures to insure this mandate is carried out. Under these guidelines, cultural resources may be preserved in their natural and historic setting if the site possesses exceptional significance and is eligible for inclusion in the National Register of Historic Places.

Six Historic Sites in the Snake River Corridor

There are six areas with extant historic resources in the Snake River Corridor in Grand Teton National Park that are potentially eligible or already listed on the National Register of Historic Places. The park will be preparing a cultural resource management plan in the future to address these properties in greater detail.

Cattlemans Bridge: Located in the Oxbow Bend area, Cattlemans Bridge has not been formally evaluated for the National Register of Historic Places. Constructed by the Potholes Grazing Association in the 1940s, the bridge is no longer utilized or maintained by that organization, as grazing has been discontinued in this area of the park. The bridge is in bad shape but continues to be used by fishermen and other visitors.

Hogan's Fox Farm (The Buffalo Dorm): This site, located near the Buffalo Entrance Station, is a group of four log structures that was originally a homestead but in 1926 was developed into a small dude ranch by John Hogan. Hogan built the large lodge building and three cabins to house up to twelve guests. The property was purchased by the



Snake River Land Company in the 1930's. The property was used until three years ago as seasonal employee housing, but due to building code violations, now sits vacant. The National Register significance of this property is currently being determined. Preliminary findings indicate that the lodge building, which served as the main house, may be eligible under the criterion for architecture. The site may also be eligible for its association with the Rockefeller financed Snake River land Company. Preliminary historical research indicates this property was used as an administrative site by the Rockefeller organization. Any proposed treatment of the site must wait until the fall of 1996 when a complete site history and formal determination of eligibility is completed

The Bar-B-C Dude Ranch: The Bar-B-C is arguably the most famous of the Jackson Hole dude ranches, in large part due to the efforts of Struthers and Katherine Burt, the original ranch owners. Katherine Burt had influence in the early development of Hollywood western films and was instrumental in bringing Hollywood film makers to Jackson Hole. Struthers Burt was a writer who wrote stories in many national publications to lobby for the creation of Grand Teton National Park. Struthers was also a novelist, who's most notable book, *Diary of a Dude Wrangler*, documented his experiences at the Bar-B-C. The 1990 Teton Corridor Development Concept Plan determined that the issue of treatment of the Bar-B-C would be determined by the results of an Historic Structures Report (HSR). The recently completed HSR strongly recommended retention of the property and proposed an extensive and complete restoration of the ranch. The high cost associated with this plan, among other factors, make that recommendation not feasible. A site plan addressing the future of this site will be

prepared as part of the cultural resource management plan.

The Four Lazy F Dude Ranch: This ranch, located on the Snake one mile north of Moose, was started by the Frew family, former patrons of the Bar-B-C, who decided to create their own semi-private dude ranch. This property is a life estate that will eventually revert to full NPS management. It is the best preserved of the early dude ranches and the only one still operating on the west bank of the Snake.

Menor's Ferry: This complex, which includes the Maude Noble Cabin, is the only historic site in Grand Teton National Park actively staffed and operated for public use and enjoyment. During the summer months, a replicated ferry is operated on the river and period merchandise is sold in the store. Menor's Ferry is located adjacent to the Snake River near Moose, a developed area. Menor's Ferry is a significant representation of early homesteading and the transportation frontier in Jackson Hole. Bill Menor was the first homesteader on the east bank of the Snake River north of Jackson in 1894, where he established a small store and ferry operation. The Snake River was a barrier to crossing, and therefore to settlement on the east side of the river until Menor built his ferry. In 1918, Menor sold the operation to Maude Noble and a Mr. Sandell. (Two different first names have been found in the literature.) Maud Noble's cabin on Cottonwood Creek was moved to its present location in 1918. She operated the ferry until 1927, when a steel truss bridge was built across the river. Noble sold the 149 acre property to the Snake River Land Company in 1929. In 1949, the Jackson Hole Preserve Inc., under the sponsorship of J.D. Rockefeller Jr., restored Bill Menor's cabin and reconstructed the ferry. The property was turned over to the National Park Ser-

vice in 1953, and placed on the National Register of Historic Places in 1969.

Bill Menor's cabin is the most significant building within the compound, as it is one of the oldest structures in the park. The cabin functioned as ferry office, store, and residence. Original structures on the site include Menor's cabin, two associated utility buildings and the Maud Noble Cabin. Reconstructed facilities include an outhouse, a wellhead, the cableworks, and the ferry. The museum and transportation shed were probably built in the 1950s by the Snake River Land Company for interpretive purposes (Carson 1964). A small log cabin moved from another location in the late 1940's was developed into a small museum. The museum houses an eclectic collection, including a "bull boat" fashioned from buffalo hides and a dog sled. A variety of freight wagons, passenger coaches, carriages and other vehicles are displayed in the transportation shed. An archaeological survey was completed on this site in 1990, with no significant findings. Located in the Menor's Ferry area, the *Chapel of the Transfiguration* is a private inholding, listed on the National Register of Historic Places in 1980s. The building is owned by the Episcopal Church. Church services are conducted there in the summer. This document proposes no changes to the status or use of this property.

The Murie Ranch: This ranch was listed on the National Register of Historic Places in 1988. However, only the residence and studio associated with Olaus Murie were considered significant in that nomination form. The National Register nomination form is currently under revision to include the significant roles of Margaret Murie and Adolph Murie, the wife and brother of Olaus. The use of the cabins by the founders of the Wilderness Society which was headquartered at the ranch could now also be consid-

ered significant. A preliminary proposal for the development of a "wilderness research institute" to honor the Muries and their wilderness ideals is being developed in cooperation with the Teton Science School. Since the ranch is a life estate and still the property of the Murie family, this document proposes no changes to the status or use of the property. Further discussion and planning for the property will follow a long term schedule in cooperation with the Teton Science School and the Murie family.



RECREATION USE PATTERNS AND TRENDS

Type of Use

Commercial river rafting accounts for the majority of recreational use on the Snake River. Non-commercial rafting, guided fishermen, private fishermen, kayakers and canoeists also travel the river. There are 16 commercial operators authorized to provide scenic float trips and/or guided fishing trips on the Snake River. Currently, there are no limits on numbers of guided fishing trips and existing limits on commercial float trips permit an approximate 48% increase over average 1995 levels.

The commercial floating season corresponds with the summer visitor season in Grand Teton National Park. The highest use occurs between June 20 and August 20 and declines after Labor Day. Although there have been recent increases in visitation during the months of May, September and October in the park, inclement weather and low water at these times tend to restrict commercial float trips. Approximately 20% of visitors during 1995 floated the river during these off months.

Recreation Uses other than river floating

Other recreational uses that occur within the Snake River Corridor include; fishing and hiking along the banks, bird watching, driving or biking the RKO road, exploring the Bar BC Ranch, viewing wildlife and scenery from the Oxbow turnout or other road-side pull-offs, and creating artwork such as painting. These types of recreation comprise a smaller percentage of use and impact than actually floating or fishing on the river itself.

No hiking trails are maintained by Grand Teton National Park on the Snake River floodplain. Most hiking originates from the various road access areas and occurs along existing game or horse trails and abandoned roads. Although no estimates have been made, hiking activity in the area does not appear to be extensive.

Picnicking is permitted along the floodplain, but no developed public picnic areas exist. Probably for this reason, public use is not extensive. There are two designated commercial meal sites at Deadmans Bar and one at Schwabacher which are used exclusively by float trip concessionaires. A developed picnic site exists on the floodplain west of Triangle X Ranch which is used by ranch

guests. Another developed picnic site is located near Cattlemans Bridge which is used by the Grand Teton Lodge Company.


Three scenic turnouts located along the outside park road east of the Snake River receive considerable use during the summer by motorists who stop to look at and photograph the mountains to the west. The Snake River floodplain is in the foreground of this view.

Horseback riding near the Snake River originates primarily from Moosehead, Triangle X and Lost Creek dude ranches. Most riding occurs by guests in the vicinity of these three ranches.

Commercial vs. Non-Commercial River Trips

River recreationists can be divided into two distinct user groups; commercial and non-commercial. Commercial users are paying guests on a guided trip. Non-commercial users are individuals who have the skill to undertake their own river trip. Slightly more than 67% of the river users in 1995 were on commercial trips. The remaining were non-commercial visitors. Of all river users, 64% were on commercial scenic float trips while 2.4% were on commercial fishing trips.

Group Type




Commercial Scenic Floating

The number of people floating the Snake River with one of the commercial outfitters has generally increased throughout the years. Since 1985, this use has increased over 39%.

Most float trips originate either at the Pacific Creek launch area or at the Deadmans Bar launch area, terminating either at Deadmans Bar or at Moose landing. Over 60% of the commercial scenic trips float the Deadmans Bar to Moose Section, while only

Guided Fishing


The cutthroat trout population inhabiting the Snake River supports an important sport fishery. The population is maintained by natural reproduction, and no stocking of the river in the park is presently done. The trout fishing season runs from April 1 through October 31. Most fishing activity occurs when water flows and turbidities decline after the annual run-off, usually in late July or early August. Wyoming fishing regulations and license requirements apply within the park.



20% of the commercial scenic trips float Pacific Creek to Deadmans Bar. The distance of these trips varies from four to twenty miles, and the duration varies from slightly over one to six hours. There are currently 101 launches per day permitted from Pacific Creek Landing to Moose. There are 3 permitted launches per day from Moose to the Wilson Bridge. See appendix one for the current commercial operating guidelines.

Commercial fishing outfitters have seen over a 230% increase in clients over the past 10 years. However use over the last two years has declined slightly. There are currently 13 fishing permittees who have unlimited use.

Snake River Guided Fishing Statistics 1985-1996



	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996
Guided Fishing	891	815	1,596	1,900	1,241	1,852	2,166	2,758	2,834	3,326	2,737	2,192


Growth in Use

The popularity of scenic float trips on the Snake River in Grand Teton National Park has increased in the last decade. Between 1985 and 1995, total annual float trip use (expressed as numbers of people participating) in the 25-mile section of the river between Jackson and Moose increased 6.8% (It should be noted that beginning in 1990, private float trips were counted using a voluntary trip permit system and it is estimated that only half of private floaters actually register). The greatest increase in overall float trip use occurred in 1987 at 44%. Since 1985, commercial scenic float trips have increased 39% and guided fishing trips have increased 230%, though use has declined slightly over the last two seasons.

1990 and 1995. The purpose of these surveys was to obtain background information about visitors who use the Snake River and information regarding visitor expectations and perceptions about crowding on the river.

Summary of Results From the 1995 Visitor Survey

A random survey of river users was conducted during the summer of 1995. Over a three month period from June through August, 211 visitors were surveyed. Below is a summary of survey results.



VISITOR SURVEY RESULTS

This section presents a summary of the results of visitor surveys conducted during the summers of

Crowding and Other Conflicts

An issue identified early in this planning process was the need to evaluate appropriate river use levels. Specifically, it was deemed necessary to examine the perception that while the river may become crowded in the future, present levels of use are acceptable. The survey needed to either verify the accuracy of this perception, or to find out if present use levels are unacceptable.

To establish a reference point for a visitor's general perception of crowding, a number of park areas were presented on the survey for evaluation. Visitors were asked to assess an area based on the traditional letter grading system, with an A+ symbolizing the least crowded or most favorable, and an F- symbolizing the most crowded or least favorable.

For analysis, these letter grades were assigned values from 1 to 15 with A+ having a value of 15, B+ a value of 12, C+ a value of 9, D+ a value of 6 and F+ a value of 3.






Figure 1 shows that overall, visitors gave the park a "B" for crowding. Different areas within the park received different grades. The majority of visitors, 92%, gave the Snake River a "B+". This was the highest score given on this section of the survey. Campgrounds received the lowest scores; 34% of the visitors gave them a "C-", while 26% gave the campgrounds an "F".

Figure 2 shows a summary of perceived crowding in all of the park areas combined. Overall 31.8% of the visitors gave the park an "A" average, with the majority of visitors giving the park a "B" average.


Figure 2: Overall Crowdedness Evaluation



When the Snake River was analyzed separately from other areas within the park, over 53% of the responses gave the Snake River an "A", with over 75% at a "B" or above as shown in figure 3. The river was rated by 17.1% as a "C" or below.

Figure 3: Snake River Crowding

During public meetings regarding the Snake River Management plan, parking congestion was identified as an issue. Figure 4 shows a summary of public response concerning parking area crowding, indicating that responses were evenly divided on this question. Over 54.6% rated parking a "B" or higher, while 37.4% rated it a "C" or lower.


Figure 4: Parking Area Crowding

The survey asked visitors if they had changed their plans because of crowded conditions in the park, and if so, where the crowding had occurred. Figure 5 shows that over 69% stated they did not, while 13.3% did. The Jenny Lake area was the most frequently mentioned with 5.6% changing their plans to visit that area because of crowded conditions.

Figure 5: Change Plans due to Crowding

Jenny Lake was listed as the most avoided with 5.6% of visitors changing plans

Visitors were next asked if they felt that any areas of the river were crowded, if so which ones, and if that crowding affected their trip. The results described in figure 6 show that almost 70% rated the river as not crowded. Launch areas were mentioned by 22% as crowded, followed by parking areas mentioned by 16%. Only 7% mentioned the river itself as being crowded.


Figure 6: Rate Crowding

Emphasis for Future Planning

To assist park management in determining what the park should emphasize in planning for the river corridor, visitors were asked to rate, in order of preference, facility development, ranger services and preservation. Figure 7 shows


preservation is the number one priority the public believes the park should emphasize in its preparation for the future.

Figure 7: Emphasis for the Future




While the majority of visitors felt current river use levels are acceptable, this planning process will determine future use of the river. Visitors were asked if future restrictions on their use of the river would be acceptable to create less crowded conditions. Figure 8 shows visitors overwhelmingly supported future restrictions on their own use to create less crowded conditions, with almost 70% responding yes.

Figure 8 : Support Future Restrictions to Reduce Crowding





A follow-up question asked visitors to specifically rate potential control measures. The majority supported all measures. User fees were the most disliked, with 17% mildly opposing additional user fees. Figure 9 shows the summary of results for this question.

Figure 9: Crowd Reducing Alternatives




Visitor Characteristics

One intent of this visitor survey was to understand the characteristics of visitors who use the river. The average age of river users is 45 years old. Half of those surveyed were from 37 to 54 years of age. Eighteen percent of the visitors surveyed were from Jackson, Wyoming. Wyoming residents account for 23% of the sample. The mountain states census region added up to 42% and Californians represented 11% of the users. All regions throughout the United States were represented to some extent. The majority of visitors were using the river for the first time and 37% rated their floating and fishing skill level as novice.

Figure 10: Number of Trips as a Passenger**Figure 11: Skill Level**

Note: #'s are percent's

Figure 12: Number of Trips as a Oarsman

Summary of Results From the 1990 Visitor Survey

A survey was conducted in the summer of 1990 by personnel of the Cooperative Park Studies Unit, from the graduate school of the City University of New York. The survey was conducted over a five day period in late July, 1990. Visitors were randomly contacted at locations designated by Grand Teton National Park managers. The interviews were conducted at landings along the Snake River, at the Gros Ventre campground, the Moose Visitor Center and Jenny Lake.

Interviewers stopped 263 visitors during the survey period and completed 241 interviews, a response rate of 92%.


The responses to several of those questions can be compared to results from the 1995 survey. Specifically, visitors in 1990 were asked the following question concerning control of future use:

"The growing popularity of Snake River fishing and floating trips means Grand Teton National Park must consider ways to protect the quality of the wildlife and other resources as well as the quality of the visitor experience. What are your feelings about controls over Snake River traffic inside the National Park? (Such as limiting the number of commercial fishing trips; mandatory permits; limits on floats on some sections of the river.)


Over 86% of the visitors surveyed in 1990 supported future controls as compared with 67% in 1995.



Visitors were also asked how many times they had floated the river. Over 55% were on their first trip in 1990 as compared to 37% on their first trip in 1995.



Data was also gathered concerning type of trip. Over 76% of the visitors were on commercial trips as compared with 66.7% in 1995.



EXISTING ACCESS AREAS

There are six areas between Jackson Lake Dam and Moose that provide easy access to the Snake River. Visible impact to vegetation has occurred in all these areas. Vegetation is rapidly eliminated by vehicles where no control of traffic or well-designated roads exist. Heavy pedestrian traffic has also resulted in loss of vegetation in some areas. The following describes the existing conditions of these sites.

Jackson Lake Dam Area

After reconstruction of the Jackson Lake Dam in the late 80's the access to the area was redesigned, providing direct vehicle access to the north side of the river. A 27 car parking and picnic area was developed and was intended to provide fisherman access to the dam area with the parking area adjacent to the river removed. Since that parking area was never removed the majority of fisherman and users of the area park along side the river. On the south side of the river, vehicular access was removed with pedestrian access provided from a parking area adjacent to the south side of the dam.

Visitor use in this area is intensive—most occurring within 2000 feet of the dam. Angler use has averaged over 10,000 days annually since 1980 and boat launchings average about 1,200 per season. Considerable traffic by motorists for sightseeing purposes also occurs. This area is the most heavily used and congested along the river. Motorists often park in the launch area, blocking access to the river for those wanting to put-in. The area immediately adjacent to the river is completely devoid of vegetation and the number's of cars of very visible to those traveling along the park road.

Pacific Creek

A paved road, boat launching site and parking area are provided at Pacific Creek. Approximately 14 commercial scenic boats per day are launched at this site, or 20% of the commercial operations. The layout of the launch area works well, however there is erosion occurring on the steep bank by the launch area, and the asphalt is beginning to unravel. Problems with launching occur when water levels decrease due to gravel build up. Periodic removal of small amounts of gravel has been done by the park periodically to maintain an adequate launch area.



Pacific Creek Launch

Cattlemans Bridge

An unmarked dirt road provides access to the cattleman's bridge area. This primitive area provides access to the river primarily for fisherman and sightseers. Some boat launching does occur, by mainly by canoeist using the Oxbow bend area. There is limited site distance at the junction of the access road and the main highway.



Cattlemans Bridge

Deadmans Bar

Vehicle access is by a narrow, steep and partially paved road about 0.7 miles long. An average of 41 commercial boats launched per day during the 1995 season. Parking is often confusing and disorganized as well as congested. Like at Pacific Creek, during low water gravel often builds up impeding launching. There are two vault toilets at this site that often have long lines when commercial operations bring large numbers of clients at once.

There are two meal sites adjacent to the launch area. One used by the Boy Scouts and one used by the Grand Teton Lodge Company.



Deadmans Bar

Lower Schwabacher

Access to Lower Schwabacher is by a 1.1 mile gravel road which becomes very dusty in mid-summer. The parking and launching areas are not paved, but are delineated by large boulders. The area is used primarily as a boat launching site and for fishing access. Other visitors also occasionally use the site.



Schwabacher Landing


Moose

The Moose access area is located east of, and adjacent to, Grand Teton National Park headquarters. Most float trips terminate here and use is intensive. Several commercial scenic operator's meet their clients here.

Moose Landing



PART FOUR, PLAN ALTERNATIVES



"Silver, brilliant in evening light, the river master surfaced, rolled forward like a diminutive dolphin, and disappeared forever from my sight. A brief acquaintance, the fish was there and gone in one plunging instant." Tim Palmer, Lifelines - the case for river conservation

PART FOUR, PLAN ALTERNATIVES

This section groups the values, concerns, and wishes expressed by the public, NPS staff, and other government agencies into a set of preferred conditions, and outlines four alternatives, including the preferred alternative.

Desired Future Conditions

The conditions listed below form the foundation of the Snake River Management Plan, building upon the goals set forth in Grand Teton National Park's General Management Plan, Statement for Management, and public input. These conditions will serve as the reference point for all programs and activities the NPS will undertake within the river corridor; they establish the standard for resource conditions. The park will be preparing a cultural resource management plan in the future to address those resources in greater detail. The success of this plan can, therefore, be measured by the extent to which it fulfills the following objectives for natural resources, recreational experience, outfitting and public access and launch sites:

Natural Resources

- The natural functions of plants and animals, as they relate to the Snake River, are preserved and enhanced.

- There is adequate baseline data available upon which to make sound management decisions.
- Wildlife habitat for threatened, endangered, and sensitive species is identified and protected.
- Deer, elk, moose, otter, beaver, osprey, waterfowl, raptors, amphibians, and a variety of songbirds can be observed in their natural environments.
- The bald eagle population is not adversely affected by river use.
- The fishery in the river is stable and thriving.
- The effects of the dam and water flow on the river system are understood and controlled to protect both the natural resources as well as the recreational experience in the river system.
- Water quality is regularly monitored and remains high.

Recreational Experience

- Recreation opportunities such as scenic floating and fishing are provided for within the Snake River Corridor, where consistent with natural resource preservation.
- A variety of options are available to float the river: private boats, commercial tours, rental boats, and guided fishing.
- All private users are aware of river conditions and the skills required to safely complete the float.

Outfitting

- Commercial trips are planned to avoid congestion at launch sites.
- Outfitters share river use responsibly, and help clients gain a better appreciation of river resources and ethics through educational and instructional trips.
- There is no illegal outfitting.

Launch Sites

- Launch sites are organized, with adequate parking and launch facilities. The sites are uncongested but not overdeveloped.

The Four Alternatives

Common Guidelines for All Four Alternatives

While factors relating to each alternative vary, each is roughly divided into three sections: recreational use, launch areas and natural resources. Regardless of which alternative is selected, there are a number of guidelines which are presently, and will

continue to be, in effect. These guidelines include:

- Existing closures to protect wintering and nesting wildlife
- On-going wildlife monitoring efforts
- Safety regulations and licenses, for river users
- Yearly boat registration for non-commercial river users
- Operational and administrative requirements for commercial boating and fishing companies
- Commercial use permits and regulations are in effect anytime the river is open to the public
- Routine maintenance, such as garbage collection and maintenance of privies, roads, and launch areas
- All law enforcement regulations such as prohibitions on off-road driving and overnight camping
- Required actions outlined in other park management plans, such as the Human/Bear Management Plan, the Grazing Management Plan, or the Natural Resources Management Plan
- No motorized craft allowed on the river
- Equipment requirements continue for commercial operators (refer to appendix one for a complete description of minimum equipment requirements);
- A commercial shuttle service may be available for private river users

- Commercial operators will continue to offer a variety of lengths of trips covering different sections of the river

Alternative One: Preferred Alternative

The NPS developed this preferred alternative as a result of comments and input received on the Draft Snake River Management Plan released in August of 1996. The Snake River Management Plan is scheduled to be implemented beginning the summer of 1998.

Public comment generally reflected a desire to see future use levels on the river remain consistent with existing levels.

Many of the commercial outfitters asked that a simple average of use not be applied to determine launch numbers, since use varies widely depending on user demand, weather, and time of the week, as well as time of the season. This preferred alternative proposes to cap use at existing levels, with commercial float and fishing use caps set in a way that provide some flexibility for fluctuating demand.

Several public comments were made requesting additional opportunities for commercial guided fishing on Jackson Lake. Grand Teton Lodge Company and Signal Mountain Lodge currently hold permits to offer guided fishing on Jackson Lake. The Lodge Company has the contractual right to provide any additional fishing services on the park's lakes, if the park were to authorize them.

In addition, several public comments were made requesting additional commercial fishing use of the Moose to Wilson section, which flows within park boundaries for the first three miles. The Wilson launch and

take-out site are managed by the Bureau of Land Management. This section is open to all commercial fishing outfitters currently permitted by the park. The National Park Service administers all commercial activity which takes place within the park, even if those activities extend beyond park boundaries. The NPS will continue to issue permits for commercial use of the Snake River from Moose to the park boundary. When the Bureau of Land Management undertakes a management plan for land it administers along the river downstream of the park, the National Park Service will work with the BLM as appropriate during their planning process.

Some interest was expressed in allowing commercial canoeing. Grand Teton National Park does not issue commercial kayaking or canoe permits for the Snake River due to the level of expertise required to negotiate the river in such craft and the social/visual impacts of large commercial groups using this type of craft.

Recreational Use

In this preferred alternative, use of the riparian areas would continue, with the following provisions:

Private Floating

A monitoring system will be developed and begin the summer of 1998 to obtain accurate counts of private users. If non-commercial use exceeds standards outlined in chapter 5, the number of private boaters allowed on the river per day will be limited through the implementation of a permit system. If use levels remain consistent with 1996 levels, no restrictions are anticipated.

The upper Bar B C spring creek will be closed to fishing and a spawning habitat

restoration project will begin, as recommended by the Wyoming Game and Fish Department (see Appendix 2).

Commercial Floating

Each individual scenic float operation will retain its current permitted daily launch quota, not to exceed a monthly cap. This monthly cap will be equal to each concessionaire's highest use month in the last three operating seasons. Once the monthly cap is reached, no additional launches will be allowed that month (see example below). The current system of maintaining reserve launches for overflow use will be eliminated. Individual permits will be assigned through the concessions program; individual launch numbers will be allocated through the concessions operating plan for each individual outfitter. One additional launch will be added to the Moose to Wilson section, bringing the total daily launch maximum to 105.

The monthly overall cap for commercial scenic use will be 2,590 launches. This provides a potential average of 84 launches per day, but in reality, all days are not amenable to the same degree of river use. Therefore, total daily scenic launches permitted would remain at 105 per day, more than the average, to allow flexibility for fluctuations in weather, water, clients numbers, etc. This limit on the commercial outfitters will reduce current permitted levels by approximately 23%, but current use levels will easily be accommodated. In other words, existing use will not be reduced, but the potential for significant growth has been eliminated.

For example: if a concessionaire has a monthly not to exceed (NTE) of 500 launches, with a daily NTE of 20, and he

launched 20 rafts per day, his monthly allotment would be used up in 25 days leaving five days of no use. Actual weather and customer patterns suggest that some days the weather will be poor for boating, and other days fewer customers will appear, so the concessionaire's overall existing use would probably be unaffected by the cap, and spread out to cover the entire month.

Guided Fishing

In commercial guided fishing, as in scenic floating, the intent is to easily accommodate current levels of use, but eliminate the potential for significant growth. Guided fishing launches over the last three seasons have averaged 13/day, never exceeding 19 launches/day. The goal is to have no more than 20 guided fishing launches on any given day. In addition, on the section already most heavily used, Deadmans to Moose, no more than five commercial fishing trips per day will be permitted.

Each fishing outfitter will be assigned a monthly cap, based on the concessionaire's highest use month during the last three operating seasons. This will provide a monthly overall total of 495 commercial fishing launches, a potential average of 16 launches/day. As in scenic float operations, all days are not amenable to the same degree of fishing use, and actual use will fluctuate.

Each guide service will be limited to six launches per day. As in the current concessions operating plan, guided fishing operations will phone in their use numbers and locations each morning. Dispatch will provide the locations of other guides, so that the Deadmans to Moose section will have no more than five launches per day, and fishing operations can spread themselves

out voluntarily through the other sections. If the standard of 20 launches per day is exceeded more than 5 days a month, a more restrictive daily cap will also be placed on each outfit.

Commercial Use

Current rules applicable to guided fishing and float trips concerning designated launching, landing and meal stop sites will continue. Stopping commercial scenic boats other than at designated locations along the river will be prohibited. Other administrative or operational requirements to remain in effect include monthly reporting of operations, boatman qualifications, equipment standards, provision of an interpretive program to the public, safety requirements and NPS approval of rates. These NPS requirements will continue to be addressed and modified, if necessary, through concession operating plans.

Existing meal sites will continue to be available to designated commercial users, if conditions permit and no new resource implications arise. No special maintenance will be conducted, such as grading roads to keep these sites open to vehicles.

Commercial boats will continue to wait to launch until others are out of sight; this regulation has been in effect for some time. If excessive crowding becomes an issue, on the ramps or on the river, designated launch times may be instituted.

Commercial scenic float vans and trailers will be allowed to park at Deadmans Bar for no longer than 45 minutes, due to congestion.

Existing provisions for meeting visitors on park lands will remain in effect; however, commercial operators will be encouraged to

meet clients at their own facilities. If crowding at parking areas becomes a problem in the future, commercial operators may be required to meet clients off site.

Launch Areas

In this preferred alternative, the NPS will conduct minor dredging at launch sites. Gravel removal will be conducted to provide reasonable access to the visitor when necessary. Dredging will be conducted only in the immediate vicinity of the launch areas, and only when deemed necessary by park managers.

Discussions of the launch areas are conceptual in this plan. Site specific design work will be completed prior to construction.

Jackson Lake Dam


In this preferred alternative, the NPS will adopt the conceptual design developed during the 1980s, when the Jackson Lake Dam was reconstructed. At that time, the area now used for parking and boat launching was the construction staging area. A schematic site plan was developed to rehabilitate much of the disturbed area while providing access to the river. The plan's intent is still valid. Pedestrian access to the river will be provided for a variety of uses including fishing, walking, picnicking or just sitting and enjoying the environment. Parking for vehicles will be provided just north of the river, in an area which has trees for shade and provides some separation from the river bank. A walkway will be built to provide easy access from the parking lot to the river. In addition, access, but no developed slip, will be provided for the loading and unloading of small boats. Limited handicapped parking will be provided as well.

Cattlemans Bridge

A survey and evaluation will be initiated to determine the historic significance of the bridge prior to any action taken in this area. Depending on the outcome of that survey, the following is proposed:

Launch/Parking: This preferred alternative proposes to maintain the primitive environment at Cattlemans Bridge but develop a accessible launch site for those wishing to explore the Oxbow area. Development at the site will be kept to a minimum. The topography provides easy access to the river with minimal environmental effect; this site is appropriate for all types of users because they can launch and return to the same spot, as well as float a quiet section of river. Configuration and use of Cattlemans Bridge launch will continue as it exists currently. Minor changes will include delineation of circulation and parking with rock, wood bollards and barrier logs. The approach to the river access will be changed to allow easier backing. Areas not necessary for circulation and parking will be revegetated.

Bridge: The bridge poses a serious safety hazard. Depending on the outcome of the survey and evaluation, the bridge will either be removed or stabilized.



Pacific Creek

In this preferred alternative, the Pacific Creek launch site will be stabilized.

The boat launch is in an eroding section of the Snake River just downstream of the Jackson Lake Dam. The streambank material is highly susceptible to erosion because it is small (sand- to silt-sized) and noncohesive. The launch is located in an outside bend along a small channel, separated from the main channel by a small island. The outside bend location increases water velocities which remove the erodible streambank material. Water has undercut the bank so severely that the launch has become unstable and difficult to use.

The NPS proposes to armor the small channel with riprap from the beginning of the small channel to the launch area. This should slow erosion of material. This will also help stabilize the launch area in its current location.


Additionally, a unisex restroom will be constructed to replace the

existing port-o-john, and the parking area will be striped to better define parking.

Deadmans Bar

Deadmans Bar will be slightly changed to accommodate use patterns. Bollards and horizontal logs will provide better delineation of the parking area. In addition, the approach on the north end of the parking lot will be expanded slightly to accommodate temporary van and trailer parking for those waiting to access the launch ramps. The parking area will be redesigned to provide designated spaces and separation between commercial and private users.


Also, an additional double unisex restroom will be constructed.



Schwabacher Landing

Schwabacher Landing will be redesigned to enhance vehicle circulation and parking. The entire parking and circulation scheme will be redesigned to provide a loop of counter-clockwise traffic flow. Horizontal logs will delineate vehicle parking on the western edge of the upper lot (right side of

the plan) while allowing traffic flow and a waiting/staging parking area for vehicles with trailers. The lower lot, adjacent to the river, will consist of a double wide lane accommodating temporary parking as well as through traffic. Vertical logs and placed boulders will define vehicle boundaries.



Moose Landing

In this alternative, no changes in the Moose landing and parking area are proposed.


RKO Landing

In this preferred alternative, minor improvements to the RKO landing road will be made to reduce the number of deep potholes in the roadbed. Minor improvements will be made to eliminate potholes in the parking area. No increase in current use is

proposed and no commercial use of this site will be permitted.

Worm Hole

In this preferred alternative, the Worm Hole parking area will be widened slightly to allow head-in parking on the eastern edge of the lot. Parking will be delineated by horizontal log parking blocks, and the lot will be delineated by a combination of vertical log bollards and placed boulders. A "hammer-head" backing area would be added to assist in pulling out of the parking spaces.



Natural Resources

In this preferred alternative, the NPS will manage natural resources the same way as in Alternative Two, with the following exceptions:

A system will be developed and implemented to monitor effects of visitor use on vegetation. A revegetation plan will be developed to mitigate any changes to vegetation from visitor use. Trails at the launch areas will be clearly defined to discourage use of undesignated trails.

Grand Teton National Park will continue to work with the Bureau of Reclamation on the Minimum Stream Flow Study now underway to understand and mitigate the dam's effect on water flows as it relates to recreation, hydrologic process, fisheries and water quality.

The water quality monitoring program will be continued.

A research and monitoring program will be developed to gather information on river otter population and how visitors effect that population.

A research and monitoring program will be developed to determine how lack of flushing flows, due to the dam, affect cottonwood communities.

A research and monitoring program will be developed to fully evaluate the long term effects of dredging at the launch areas.

Operational Issues

If funding permits, NPS will staff launch sites during busy times.

Additional educational and interpretive signage will be provided at the launch sites.

Alternative Two: No Action

The no action alternative would allow public use of the Snake River to continue in the same patterns of use and growth and under the same restrictions as are presently in effect.

Recreational Use

Growth of non-commercial recreational use would remain unrestricted, except by the physical constraints of the launch areas and

parking lots.

Commercial use of the riparian areas would continue at present authorized levels. No additional commercial operations (i.e. float trip concession permits and/or fishing) would be authorized; only existing levels of permitted use would be allowed. This would provide for the possibility of 104 commercial scenic trips per day, which is a 48% increase over average 1995 use levels. In line with current policy, there would be no limitations placed on existing guided fishing operations.

Commercial float trip operators would abide by current administrative and contractual requirements. Rules about designated launching, landing and lunch stop sites would continue. Stopping commercial boats at non-designated locations along the river would still be prohibited and restrictions about meeting passengers on park lands would remain in effect. Additional administrative and operational requirements that would remain in effect include monthly reporting of operations, boatman qualifications, equipment standards, provision of an interpretive program to the public, safety requirements and Park Service approval of prices.

Hiking and picnicking along the river would continue to be restricted due to lack of developed facilities.

Launch Areas

Except for routine maintenance, no improvement would occur at the launch areas.

Mechanical removal of portions of in-stream gravel bars would be limited to 25 cubic yards.

Existing signs and barricades would be replaced as necessary. No new access areas or roads would be developed in the floodplain, although some existing sites may be relocated, as dictated by natural changes in the river channel.

Natural Resources

Existing closures would remain in effect to protect wintering and nesting wildlife and spawning fish. Efforts to monitor activities for nesting eagles, herons, osprey, trumpeter swans, raptors, and amphibians would continue at present levels.

Water levels in the river would be managed as they are now.

Use of the riparian area by horses and other livestock would be subject to the restrictions stated within other park documents, such as the Natural Resources Management Plan and the Grazing Management Plan.

Concession companies would be required to bear-proof all lunch stop sites and educate all float trip employees about securing objects that would attract a bear, in the ways described in the Human/Bear Management Plan.

Alternative Three: Increased Use

This alternative proposes to modestly increase permitted use.

Recreational Use

There would continue to be no restrictions on private use if growth does not exceed 20% over average 1995 levels. If use exceeds this, limits on private use would be explored.

Commercial scenic float use of the riparian areas would be capped at 115 permitted launches per day. This would allow for a 10% increase over existing permitted use levels, or an estimated 64% increase over average 1995 use levels. In addition, guided fishing use would be capped at 17 launches per day. This also is a 30% increase over average 1995 use levels. Specific numbers of launches per company would be defined in the concessions operating plan and each company's individual use allocation. The reserve allocation system would no longer be used. No additional commercial operations (i.e. float trip or fishing concession permits) would be authorized.

Scenic concession float trips would be assigned specific launch times and locations during the day designed to spread use out and reduce congestion due to the increased use. Exact times and launch locations would be determined in the concession operating plan.

Rules concerning designated launching, landing and lunch stops would continue with the following exception. There would be no stopping and disembarking allowed on the river by any commercial operation including fishing guides.

Passenger Meeting Points: Passengers may not be met on any lands under the jurisdiction of the National Park Service. Passengers may be met at lodging concession facilities within the park only if prior arrangements are made with the concessionaire.

Launch areas

Alternative Four proposes the same changes to the launch areas as Alternative One.

Natural Resources

Alternative Four proposes the same actions concerning natural resources as Alternative One.

Alternative Four: Experience by Segment

This alternative proposes to zone the river segments for different types of visitor experiences.

Recreational Use

This alternative defines use levels for the following segments of the river:

Jackson Lake Dam to Pacific Creek Landing: The experience of floating from Jackson Lake Dam to Pacific Creek would be a solitary wilderness experience. Visitors would see few other if any boats on this segment. Use would be restricted to private users only. If use levels remain consistent or drop, no restrictions would be made on private users. If use exceeds the standards defined in chapter 5, limits on private use would be explored.

Pacific Creek to Deadmans: Floating this section of river would be continue to be a wilderness experience, however some encounters with other floaters or fisherman would be expected. Commercial scenic float trips would be capped at 14 launches per day which is a 7% increase over average 1995 levels. Guided fishing trips would be capped at 6 launches per day. As in the above section, if private use exceeds the standards defined in chapter 5, limits on private use would be explored.

Deadmans to Moose: Floating this section of river would be a scenic recreational

experience. Frequent encounters with other floaters and fisherman would be expected. Commercial scenic float trips would be capped at 56 launches per day and guided fishing trips would be capped at 8 launchers per day. This is a 30% increase over average 1995 use levels. As in the no-action alternative there will be no restrictions on private floaters other than perhaps the lack of developed facilities.

Schwabachers to Moose: Floating this section would be similar to the above. Commercial scenic float trips would be capped at 11 launches per day, a 30% increase over average 1995 use levels.

Moose to Wilson: Floating this section would continue to be a solitary experience. Floaters can expect to see few others along their trip. Commercial scenic float trips would be capped at 5 per day, a 40% increase over average 1995 levels. Fishing of this section would be unrestricted, other than by regulations imposed by Wyoming Game and Fish.

Actions common to all river sections:

Rules concerning designated launching, landing and lunch stops would continue with the following exception. There would be no stopping and disembarking allowed on the river by any commercial operation including fishing guides.

Passenger Meeting Points: Passengers may not be met on any lands under the jurisdiction of the National Park Service. Passengers may be met at lodging concession facilities within the park only if prior arrangements are made with the concessionaire.

Scenic concession float trips would be assigned specific launch times and locations

during the day, designed to spread use out and reduce congestion due to the increased use. Exact times and launch locations would be determined in the concession operating plan.

Scenic float trip concessionaires and fishing guides would no longer be allowed to park their vans and trailers at the boat launches.

Total launches under this alternative would be 86/day or a 23% increase over average 1995 use levels.

Launch areas

Alternative Four proposes the same changes to the launch areas as Alternative One.

Natural Resources

Alternative Four proposes the same actions concerning natural resources as Alternative One.



Comparison of the Alternatives

	Alternative One: Preferred Alternative	Alternative Two: No Action	Alternative Three: Increased Use	Alternative Four: Experience by Segment
Use Levels				
• Private	No use limits until standards are exceeded. Monitoring to begin summer of 1997.	No use limits.	Same as alternative one.	Same as alternative one.

• Guided Scenic	Cap at existing use levels; 105 launches/day; monthly total NTE 2590; Each operator will retain current permitted daily launch quota, with a monthly cap not to be exceeded. Monthly cap will be based on highest month over last three operating seasons; this will reduce current permitted levels by 23%, but current use levels will be accommodated. No reserve allotment	104 launches/day; 48% increase over average 1995 levels.	115 launches/day; 10% increase over existing permitted levels or 64% increase over average 1995 levels; no reserve allotment; mandatory scheduling	Jackson Lake Dam to Pacific Creek: no use; Pacific Creek to Deadmans: 14 launches/day; Deadmans to Moose: 56 launches/day Schwabachers to Moose: 11/day; Moose to Wilson: 5/day.
-----------------	--	--	--	--

	Alternative One: Preferred Alternative	Alternative Two: No Action	Alternative Three: Increased Use	Alternative Four: Experience by Segment
• Guided Fishing	Monthly total NTE 495; daily limit 6/day per outfitter; 20 launches/day standard.	No use limits.	17 launches/day; no extended parking at launch areas.	Jackson Lake to Pacific Creek: no use; Pacific Creek to Deadmans: 6/day; Deadmans to Moose: 8/day; Moose to Wilson: no restrictions.
Launch Areas	Material will be removed from streambed as deemed necessary by park management to keep boat launches operational.	Dredging not to exceed 25 cubic yards.	Same as alternative one.	Same as alternative one.
• Jackson Lake Dam	Remove parking adjacent to the river; access for small boats provided.	Existing Conditions.	Same as alternative one.	Same as alternative one.
• Cattlemans Bridge	Initiate historic survey and evaluation for bridge; develop accessible launch; improve parking delineation.	Existing Conditions.	Same as alternative one.	Same as alternative one.
• Pacific Creek	Stabilize launch site; construct unisex restroom; stripe parking lot.	Existing Conditions.	Same as alternative one.	Same as alternative one.

	Alternative One: Preferred Alternative	Alternative Two: No Action	Alternative Three: Increased Use	Alternative Four: Experience by Segment
• Deadmans	Use patterns unchanged; better delineation of parking; provide separation between commercial and private users; slight widening of approach; construct an additional double unisex restroom.	Existing Conditions.	Same as alternative one.	Same as alternative one.
• Schwabackers	Redesign to enhance vehicle circulation and parking.	Existing Conditions.	Define parking and circulation.	Same as alternative one.
• Moose Landing	Existing conditions.	Existing Conditions.	Existing conditions.	Existing conditions.
Commercial Operations				
• Passenger Meeting Points	Existing conditions. Commercial operators encouraged to meet clients at their own facilities.	Existing Conditions.	Passengers may not be met on NPS lands, but may be met at lodging concession facilities.	Passengers may not be met on NPS lands, but may be met at lodging concession facilities.
• Commercial Launch Times & Locations	Existing conditions.	Existing Conditions.	Commercial scenic float trips assigned specific launch times and locations.	Commercial scenic float trips assigned specific launch times and locations.

	Alternative One: Preferred Alternative	Alternative Two: No Action	Alternative Three: Increased Use	Alternative Four: Experience by Segment
• Commercial Parking at Launches	Scenic float trips will be limited to 45 min. at Deadmans Bar.	Existing Conditions.	No long term parking by scenic float trips or guided fishing trips.	No long term parking by scenic float trips or guided fishing trips.

PART FIVE, ENVIRONMENTAL CONSEQUENCES



"The Snake River: cold and unforgiving, braided swift channels demanding respect, calm eddies provide refuge and quiet, bubbling, rumbling, gurgling, crashing, water hitting rocks, full of life."

Management Assessment, Grand Teton National Park

PART FIVE, ENVIRONMENTAL CONSEQUENCES

This section describes likely consequences and impacts of each alternative on specific environmental resources, socio-economic issues and visitor use: It is the analytic basis for comparison between each alternative. This section discusses resources in the same sequence that they were discussed in Chapter Three: Resource Overview and is divided into sections which represent each alternative.

Impacts Common to All Alternatives

Cultural Resources

The Snake River Corridor in Grand Teton National Park has six areas that contain historic resources that are potentially eligible or already listed on the National Register of Historic Places. Consequences to these areas as a result of the alternatives proposed in the Snake River Management Plan should be minimal. However, the park will be preparing a cultural resource management plan to address these historic areas in greater detail.

EFFECTS OF ALTERNATIVE ONE: PREFERRED ALTERNATIVE

Soil

Soil compaction and erosion of stream banks in localized, heavily-used areas such as launch sites and concession stop-over picnic areas would continue. Current impact levels are not significant. Improvements to

parking areas that better define parking, improve vehicle circulation and provide interpretive information to visitors would further minimize impacts. Also, staffing NPS personnel in these areas during high use periods would help control resource damage. In addition, a monitoring program will be put in place and if impacts become unacceptable they will be mitigated through revegetation and the elimination of social trails.

Hydrology, Water Flows and Water Quality

Stream hydrology, water flows and water quality of the Snake River as it flows through Grand Teton National Park would not be adversely affected by maintaining existing levels of human use. Removal of gravel from the river in the immediate vicinity of launch areas would not adversely affect stream hydrology, water flows or water quality. A complete study of how dam releases affects river geomorphology will be conducted in the summer of 1997. Results of this study will be incorporated in a monitoring program.

Vegetation

Loss of vegetative cover in localized heavily-used areas, such as launch sites and concession stop-over areas, would continue at current levels. A small increase over current use levels would not likely increase the number of social trails created. Current losses of vegetation do not cause a significant impact and would not likely increase. A

monitoring system would be initiated to ensure that unacceptable impacts do not occur.

Fish

A slight increase in the number of commercial or private fishing parties would not have a significant impact on the Snake River fishery in Grand Teton National Park. The harvest of fish is minimal in the stretch of the river included within the park and a small percentage of total fish mortality is attributed to angler take; furthermore, the number of fish the Snake River can support is a function of available habitat, not fishing pressure (Kiefling 1996). Wyoming Game and Fish Department monitors this fishery and sets all the rules and regulations that apply to it.

The area of the upper Bar B C spring creek would be closed to fishing, and a spawning habitat restoration project would begin, as recommended by the Wyoming Game and Fish Department. This project would benefit the fishery. A closure of this small area should not effect the angler's overall fishing experience.

Amphibians and Reptiles

Boreal toads, spotted frogs and chorus frogs breed in lakes, ponds, backwater channels and other shallow or slow-moving waters (Koch et al. 1995). These breeding habitats are not used by floaters or people fishing and would not likely be affected by the commercial or private use of the river. Therefore, a slight increase in human use would not cause a significant impact to amphibians.

Birds

Bald Eagle:

Area closures around bald eagle nests along the Snake River in Grand Teton National Park are part of an ongoing effort to protect nesting wildlife. However, Mathisen (1968) related that "the effect of recreation on nesting eagles may not be restricted to

disturbances of the nest site. Boating and other activities may interfere with food gathering and possibly cause general unrest among eagle populations". Furthermore, McGarigal (1991) concluded that boating on the lower Columbia River has the potential of significantly influencing foraging patterns of eagles. An increased number of floaters and people fishing may have an adverse effect on the bald eagle population in the Park. However, this alternative proposes to keep use levels at existing levels and maintain area closures around nesting areas. Populations would continue to be monitored annually for occupancy and productivity. If downward trends are suspected, management actions would be taken to determine and alleviate causes for decreased occupancy or productivity.

Osprey:

Ospreys may be less sensitive than eagles to human disturbances. Schroeder (1972) indicates that human presence is not detrimental to osprey nesting success unless the birds are disturbed or prolonged activity occurs in the immediate area. However, in Chesapeake Bay, anthropogenic disturbance is increasing annually and is suspected to have a more-serious-than-observed influence on osprey reproduction (Reese 1977). Increased human activity on the Snake River in Grand Teton National Park could potentially affect breeding success of ospreys nesting there. However, this alternative proposes to keep use levels at existing levels. Populations would be monitored annually for occupancy and productivity. If downward trends are suspected, management actions would be taken to determine and alleviate causes for the trend.

Great Blue Heron:

In north-central Colorado, boats passing a great blue heron rookery caused minimal responses 92% of the time. Only slow-moving boats or canoes directly under the nest elicited a local response. It was reported that nesting herons become habituated to repeated non-threatening activities such as anglers boating past a rookery (Vos et al. 1985). These results indicate that an

increase in the number of anglers and floaters along the Snake River in Grand Teton National Park may not adversely influence the great blue heron rookeries there. However, because the heron rookery in the Oxbow Bend may have been abandoned due to human disturbance (Reid 1994) it can be assumed that increased human activity could be detrimental to heron rookeries in other locations. Populations would be monitored annually for occupancy and productivity. If downward trends are suspected, management actions would be taken to determine and alleviate causes for the trend.

Trumpeter Swans:

Historically, trumpeter swans used two areas within Grand Teton National Park for nesting: Oxbow Bend and Sawmill Ponds. Neither are currently used. The Oxbow Bend area is believed to have been abandoned due to human disturbances (GTNP 1988).

Dahlgren and Korschgen (1992) found that "the expansion of outdoor recreation greatly increased the interactions between the public and waterfowl, and the public and waterfowl habitat. The effects of these interactions on waterfowl habitat are visible and obvious, whereas the effects of interactions that disrupt the normal behavior of waterfowl are subtle and often overlooked, but perhaps no less harmful than destruction of habitat. Resource managers and administrators require information on the type, magnitude and effect of disturbances from human contact with wildlife". Given the history of trumpeter swan nest areas in the park, it is likely that increased human use has been, and will continue to be, detrimental to trumpeter swan breeding success. Allowing current use levels to continue could add to the pressures nesting trumpeter swans must already overcome. However, because commercial floaters are not permitted to use the Oxbow Bend area, any significant increase in private use of Oxbow Bend would probably have a greater impact on trumpeter swans than increased commercial river use. Populations would be monitored annually for occupancy and productivity. If downward trends are suspected management actions would be taken

to determine and alleviate causes for the trend.

Other Birds:

Additional species of birds use the riparian and upland areas for nesting and other activities. Information will be gathered to determine what extent human activity disrupts their daily pattern of foraging, loafing and breeding. Some species will tolerate human disturbances better than others. However, a slight increase in river use is not likely to have a negative effect on most species.

Mammals

Although steps have been taken to protect known threatened and endangered species, human activity would continue to disturb some animals. Many of the park's 54 species of mammals use resources within the Snake River corridor for a variety of their essential needs. Increased human use of this corridor would add general stress to the resources used by these species. However, this alternative proposes to keep use levels at existing levels and impacts would not be significant.

Rare and Endangered Species

Peregrine Falcons:

There are no known peregrine falcon nests nor nesting habitat located in the Snake River corridor. Peregrines do forage and travel in the riparian and upland areas of the river. Peregrines and their habitat are vulnerable to human activities (American Peregrine Falcon Recovery Plan 1984), and increased use of the river corridor could displace them from potential foraging areas. However since there are no known nests or habitat in the study area, no significant impact is expected.

Whooping Crane:

The whooping crane is a migrant species in the Snake River corridor (U.S. Fish and Wildlife Service 1995b). The majority of

observations have been of cranes flying over the area (S&RM database). There is insufficient information to conclude whether or not increased human use of the Snake River would impact this species. There have been only twelve documented sightings in seventeen years in this area, so it is probable that impact on this species would be minimal.

Bald Eagles:

The Bald Eagles are discussed on page 58.

Grizzly Bears:

There is potential for conflicts between humans and grizzly bears in the Snake River corridor. Food storage regulations at concession stop-over/picnic sites are in effect. The presence of picnic areas within the river corridor could affect grizzly bear movement patterns and create a conflict between humans and bears. Actions outlined in the Human/Bear Management Plan will be enforced and should help prevent conflicts.

The Oxbow Bend is an area that has increased in potential for human/grizzly bear conflicts because it is good bear habitat and is frequently used by humans. Sightings of grizzly bears in this area have increased in recent years, and a yearling female grizzly bear was trapped and relocated from this area in May of 1996, after it became habituated to humans.

Floating the river on the main channel should not increase encounters between humans and grizzly bears. Floating the backwater areas of the Oxbow Bend may slightly increase the probability of a human/grizzly bear encounter, but this is unlikely. Most conflicts between humans and grizzly bears in this area are generally precipitated by people stopping to view bears along the road while driving by in their cars or viewing the Oxbow Bend from the roadside pullout. No significant impact to grizzly bears is expected as a result of this alternative.

Gray Wolves:

There have been no verified gray wolf sightings in the Snake River corridor. If the experimental wolf population expands into this area, increased human use of the river may effect on the wolves. The presence of humans may make the area unsuitable habitat for gray wolves. A monitoring system will be put in place and if gray wolves come into this area, mitigation measures will be developed. However, at this time since there are no verified gray wolf sightings, it is not expected that this alternative will have a significant impact on this species.

Other Species:

There are fourteen candidate species identified by the U.S. Fish and Wildlife Service that may occur within the Snake River corridor in Grand Teton National Park. All are category two species, which means that current available data is insufficient to support listing them as endangered or threatened. With the proper resource protection, most of these species should not be adversely affected by floating or fishing on the Snake River. Information will be gathered in the future to help determine how these animals are affected by human use of the river and appropriate mitigation measures will be taken based on this information. Actions considered may include, but would not be limited to, additional area closures preventing people from disembarking their boats, implementing time restraints on river use to keep people from disturbing animals during critical periods or limiting the overall number of people using the river.

Socio-Economic Issues

Non-commercial Use:

Monitoring non-commercial use and implementing a permit system if use exceeds standards should not adversely affect users. However, crowding and competition for space at launch sites would still affect private users as they encounter commercial float groups.

Commercial Float Trip Operators:

Limiting commercial use of the Snake River to current high use levels should not adversely affect current operation of businesses and should meet visitor needs.

Abolishing the reserve allocation system would make it more difficult for commercial floaters to meet the demands of the public, because large river rafting groups without reservations may not be accommodated. However, the reserve allocation system makes it difficult to monitor use of the river, and discontinuing this system would help resource managers monitor and sustain prescribed levels of use.

Encouraging float companies to meet passengers at their concession lodging facilities should help reduce crowding at launch areas, without affecting commercial operations.

Limiting parking time at Deadmans Bar launch site would affect a small number of operators and should not significantly affect general operations.

Increasing the number of toilets at certain launch areas should not adversely affect natural resources. More toilets should help alleviate the crowding problem at launch sites which occurs when people wait to use restroom facilities. Funds for building and maintaining these facilities would increase operating costs for the park.

Commercial Fishing:

Limiting use to current high levels should allow for continued operation of commercial fishing guides and satisfy visitor needs.

People fishing from boats will be allowed to disembark during fishing trips. This could negatively impact wildlife if people get too close to animals, as many tourist tend to do when photographing wildlife. Guides would be advised to keep their clients at an acceptable distance from wildlife to prevent

this problem. Commercial raft companies, which are not allowed to disembark, view permitting guided fishing parties to disembark along the river as an inconsistency between how rafters and anglers are treated. However, it is arguable that because commercial fishing trips generally last all day, fishing clients are in more need to disembark than clients on raft trips which tend to last no more than a few hours.

General Launch Area Improvements:

Construction at launch areas for parking and facility improvements should not have a long-term impact on wildlife or natural resources. There may be short-term displacement of wildlife due to noise and activity from construction, but this should not be significant. Damage to vegetation should be minimal because planned construction would be limited to existing parking areas. Dredging would only be conducted in the immediate vicinity of the launches and should not cause any adverse impacts. Improving launch area vehicle circulation would make launching crafts easier, therefore quicker, and better define parking. GTNP staff would be needed for the design of launch areas and enforcement of restrictions, and construction and maintenance costs would need to be budgeted.

Specific Launch Area Improvements:

Jackson Lake Dam:

In the 1980's, a schematic site plan was developed to rehabilitate much of the disturbed area that resulted from dam construction while providing access to the river. Under this alternative, parking adjacent to the river would be eliminated, except for limited parking for handicapped accessibility. Vehicle parking areas would be located just north of the river, where there are trees for shade and some separation from the river bank. Boat access at the bank would be provided, but there would not be a developed slip.

These actions would increase an insignificant amount the walk from the parking area

to the river. The area will be more appealing visually and should make for a better visitor experience. Boats could still be launched from the bank and fishing along the bank should be unaffected. There would be no adverse impacts to natural resources.

Pacific Creek:

The current layout of this launch area works well, however problems with launching occur when water levels decrease due to gravel build up. In addition, water has undercut the bank so severely at this site that the boat launch has become unstable and difficult to use. This launch was evaluated by a civil engineer in September 1996 and it was recommended that the bank and launch area be stabilized with riprap. Also, the parking area will be stripped to better define parking, a unisex restroom would replace the existing port-a-john, and funds would be sought to conduct a geomorphology study to look at the entire river system and determine the best locations for launch areas. These activities should not adversely affect natural resources and should enhance the visitor's experience at this area.

Cattlemans Bridge:

This alternative would maintain the primitive environment at Cattlemans Bridge but develop an accessible launch site for those wishing to explore the Oxbow Bend area. A historic survey would be initiated to evaluate the bridge. Depending upon the outcome of the survey and evaluation and the development of a cultural resources management plan, the bridge may be either removed or stabilized. This site would remain primitive, but better parking delineation and an accessible launch would be provided. These actions may increase visitor use of this area and the Oxbow Bend by a small amount, but should not adversely affect natural resources. Visitors would enjoy better access to this area, however some may be disappointed if the bridge is removed.

Deadmans Bar:

Congestion at Deadmans Bar during peak

summer use levels was identified as an issue. Under this alternative an additional restroom would be constructed, parking would be redesigned to provide designated spaces for private and commercial users, and commercial scenic parking would be restricted to a maximum of 45 minutes. This should reduce congestion, expedite boat launching and increase visitor enjoyment at this site. No significant effects to natural resources would be anticipated.

Schwabachers:

The parking and launch areas at this landing are not paved, but are separated by large boulders. This alternative proposes to improve circulation and parking delineation by better-defining access routes to eliminating resource damage as a result of the creation of unnecessary social trails. No significant impacts to natural resources would occur because of this action.

Moose Landing:

There are no changes proposed at this launch. Dredging in the immediate vicinity of the launch site should not have any adverse impacts to natural resources.

EFFECTS OF ALTERNATIVE TWO: NO ACTION

Soil

Soil compaction and erosion of stream banks in localized, heavily-used areas would continue. Impacts are not significant at current levels of river use. However, an increase in river use by recreational and commercial floaters would accelerate erosion and soil compaction due to an increase in foot traffic and social trails formed. These effects would be most prevalent at launch areas and concession stop-over picnic areas.

Hydrology, Water Flows and Water Quality

Stream hydrology, water flows and water quality of the Snake River as it flows through Grand Teton National Park would not be

significantly affected by increased human use. Removal of small quantities of gravel (less than 25 cubic yards) from launch areas would not significantly affect stream hydrology, water flows or water quality.

Vegetation

Loss of vegetative cover in localized, heavily-used areas, such as launch sites and concession stop-over areas, would continue.

Fish

An increase in the number of people involved in commercial or private fishing would have an insignificant impact on the Snake River fishery in Grand Teton National Park. The harvest of fish is minimal in the stretch of the river included in the park and a small percentage of total fish mortality is attributed to angler take; furthermore, the number of fish the Snake River can support is a function of available habitat, not fishing pressure (Kiefling 1996). Wyoming Game and Fish Department monitors this fishery and sets all the rules and regulations that pertain to it.

Amphibians and Reptiles

Boreal toads, spotted frogs and chorus frogs breed in lakes, ponds, backwater channels and other shallow or slow-moving waters (Koch et al. 1995). These breeding habitats are not likely to be significantly affected by the commercial use of riparian areas by floaters or fishing guides.

Birds

Bald Eagle:

Area closures around bald eagle nests along the Snake River in Grand Teton National Park are part of an ongoing effort to protect nesting wildlife. However, Mathisen (1968) related that "the effect of recreation on nesting eagles may not be restricted to disturbances of the nest site. Boating and other activities may interfere with food gathering and possibly cause general unrest

among eagle populations". Furthermore, McGarigal (1991) concluded that boating on the lower Columbia River has the potential of significantly influencing foraging patterns of eagles. An increased number of floaters and people fishing may have an adverse effect on the bald eagle population in the Park. However, area closures around nesting areas will be maintained which should prevent any significant impact's to the Bald Eagle population. Populations would continue to be monitored annually for occupancy and productivity. If downward trends are suspected, management actions would be taken to determine and alleviate causes for decreased occupancy or productivity.

Osprey:

Ospreys may be less sensitive to human disturbances than eagles. Schroeder (1972) indicates that human presence is not detrimental to osprey nesting success unless the birds are molested or prolonged activity occurs in the immediate area. However, in Chesapeake Bay, anthropogenic disturbance is increasing annually and is suspected to have a more-serious-than-observed influence on osprey reproduction (Reese 1977). Increased human activity on the Snake River in Grand Teton National Park could potentially affect breeding success of ospreys nesting there. Populations would be monitored annually for occupancy and productivity. If downward trends are suspected management actions would be taken to determine and alleviate causes for the trend which should prevent any significant impact.

Great Blue Heron

In north-central Colorado, boats passing a great blue heron rookery caused minimal responses 92% of the time. Only slow moving boats or canoes directly under the nest elicited a local response. It was reported that nesting herons become habituated to repeated non-threatening activities such as anglers boating past a rookery (Vos et al. 1985). These results indicate that an increase in the number of anglers and

floaters along the Snake River in Grand Teton National Park may not adversely influence the great blue heron rookeries there. However, because the heron rookery in the Oxbow Bend may have been abandoned due to human disturbance (Reid 1994) it can not be assumed that increased human activity would be detrimental to heron rookeries in other locations. Populations would be monitored annually for occupancy and productivity. If downward trends are suspected, management actions would be taken to determine and alleviate causes for the trend which should prevent any significant impact.

Trumpeter Swans:

Historically, trumpeter swans used two areas within Grand Teton National Park for nesting: Oxbow Bend and Sawmill Ponds. Neither are currently used. The Oxbow Bend area is believed to have been abandoned due to human disturbances (GTNP 1988).

Dahlgren and Korschgen (1992) found that "the expansion of outdoor recreation greatly increased the interactions between the public and waterfowl, and waterfowl habitat. The effects of these interactions on waterfowl habitats are visible and obvious, whereas the effects of interactions that disrupt the normal behavior of waterfowl are subtle and often overlooked, but perhaps no less harmful than destruction of habitat. Resource managers and administrators require information on the types, magnitude, and effects of disturbances from human contact with wildlife". Given the history of trumpeter swan nest areas in the Park, it is likely that increased human use has been, and will continue to be, detrimental to trumpeter swan breeding success. Allowing a 48% expansion of commercial rafting companies over 1995 levels could add to the pressures on nesting trumpeter swans.

However, because commercial floaters are not permitted to use the Oxbow Bend area, increased private use of Oxbow Bend would likely have a greater impact on trumpeter swans than increased commercial use. Populations would be monitored annually for occupancy and productivity. If downward trends are suspected, management actions would be taken to determine and alleviate causes for the trend which should prevent

any significant impact.

Other Birds:

Many additional species of birds use the riparian and upland areas for nesting and other activities. Information will be gathered to determine what extent human activity disrupts their daily pattern of foraging, loafing and breeding. Some species will tolerate human disturbances better than others.

Mammals

Although steps have been taken to protect known threatened and endangered species, human activity would continue to disturb some animals. Many of the park's 54 species of mammals use the Snake River corridor for a variety of their essential needs. Increased human use of this corridor would add general stress to the resources used by these species. However, the impacts are not expected to be significant.

Rare and Endangered Species

Peregrine Falcon:

There are no known peregrine falcon nests located in the Snake River corridor and nesting habitat is not available. Peregrines do forage and travel in the riparian and upland areas of the river. Peregrines and their habitat are vulnerable to human activities (American Peregrine Falcon Recovery Plan 1984), and increased human use of the river corridor could displace them from potential foraging areas.

Whooping Crane:

The whooping crane is a migrant species in the Snake River corridor (U.S. Fish and Wildlife Service 1995b). The majority of observations have been of cranes flying over the area (S&RM database). There is insufficient information to conclude whether or not increased human use of the Snake River would impact this species. There have been only twelve documented sightings in seventeen years in this area, so it is probable that impacts to this species would be minimal.

Bald Eagles:

The bald eagles are discussed on page 63.

Grizzly Bears:

There is potential for conflicts between humans and grizzly bears in the Snake River corridor. Food storage regulations at concession stop-over/picnic sites are in effect. The presence of picnic areas within the river corridor could affect grizzly bear movement patterns and create conflicts between humans and bears. Actions outlined in the Human/Bear Management Plan would be enforced and should help prevent conflicts.

The Oxbow Bend is an area that has increased in potential for human/grizzly bear conflicts. Sightings of grizzly bears in this area have increased in recent years, and a yearling female grizzly bear was trapped and relocated from this area in May of 1996 after it became habituated to humans.

Gray Wolves:

There have been no verified gray wolf sightings in the Snake River corridor. If the experimental wolf population expands into this area, increased human use of the river may effect on the wolves. The presence of humans may make the area unsuitable habitat for gray wolves. A monitoring system will be put in place and if gray wolves come into this area, mitigation measures will be developed. However, at this time since there are no verified gray wolf sightings, it is not expected that this alternative will have a significant impact on this species.

Other Species:

There are fourteen candidate species identified by the U.S. Fish and Wildlife Service that may occur within the Snake River corridor in Grand Teton National Park. All are category two species, which means that current available data is insufficient to support listing them as endangered or threatened. With the proper resource protection, most of these species should not be ad-

versely affected by floating or fishing on the Snake River. Information will be gathered in the future to help determine how these animals are affected by human use of the river and appropriate mitigation measures will be taken based on this information. Actions considered may include, but would not be limited to, additional area closures preventing people from disembarking their boats, implementing time restraints on river use to keep people from disturbing animals during critical

Socio-Economic Issues

Use levels under this alternative would not change; they would be further defined. Therefore, no significant economic impacts are anticipated. However, as both commercial and private river use increase, the overall wilderness experience of floating or fishing the river could be jeopardized due to overcrowding. People would encounter other groups more frequently and conflicts between users could result.

Space is limited at launch areas and crowding would continue, and likely increase, at these access sites. Private users may find it hard to compete with commercial operators and be unable to launch at specific areas or times. Increased crowding, lack of sufficient parking and lines at launch areas would result from this alternative. Also, conflicts between anglers and floaters would be more likely as use increases.

**EFFECTS OF ALTERNATIVE THREE:
INCREASED USE*****Soil***

Same as Alternative Two, except effects could be more severe.

Hydrology, Water Flows and Water Quality

Same as Alternative Two.

Vegetation

Same as Alternative Two, except effects could be more severe.

Fish

Same as Alternative Two.

Amphibians and Reptiles

Same as Alternative Two.

Birds, Mammals and Rare and Endangered Species

Same as Alternative Two, except effects could be more severe.

Socio-Economic Issues

Non-commercial Use:

Closing the upper Bar B C spring creek to fishing and creating a spawning habitat restoration project would make a relatively small area unavailable for fishing, yet it could greatly enhance the Snake River fishery in the park.

Monitoring non-commercial use and implementing a permit system if use exceeds standards, should not impact users. However, crowding and competition for space at launch sites would still affect private users as they encounter large commercial float groups.

Commercial Float Trip Operators:

Increasing permitted commercial use 10% above current permitted levels should allow for continued operations of businesses and should meet visitor needs.

Abolishing the reserve allocation system would make it more difficult for commercial floaters to meet the demands of the public, because large groups without reservations may not be accommodated. However, the reserve allocation system makes it difficult to monitor use on the river, and by discon-

tinuing this system it would help managers implement and sustain the level of use prescribed.

Assigning specific launch times and locations for scenic concession float trips would reduce congestion at launch and landing sites, and maintain the wilderness experience of a float trip. Operators would have to be organized and adhere to schedules. This should not hinder the concessionaires, and may make it easier for some of the smaller concessions to secure a launch site in a timely manner. Larger companies that in the past have launched whenever they wanted may have to become more flexible.

Not allowing scenic float trip concessionaires to park their vans and trailers at the boat launches may reduce congestion at these areas. However, this would have consequences for concessionaires. More time and money would be required of the concessionaires to transport trailers to alternative parking areas at their business headquarters. This added requirement could affect the timely removal of rafts from launch sites.

Lunch stop areas would continue to be used by commercial float concessionaires. This may provide a more enjoyable experience for visitors, but impacts to vegetation and wildlife, as discussed under Alternative One, would continue.

Passengers would no longer meet concessionaires on Grand Teton National Park lands, but would meet at concession lodging facilities. This would cause a disruption to the current concession float trip operating procedures and would require a capital investment. Parking areas would be expanded at concession headquarters sites, and facilities would be improved. It would take more concessionaire employees, vehicles and resources to transport visitors to and from launch areas.

Allowing commercial concession float trip companies to increase their permitted use would result in future overcrowding. Parking areas at launch sites would not be large enough to accommodate the increased

number of vehicles. Toilet facilities are not adequate for the increased amount of human excrement generated at river access areas, which would lead to a degradation of the surrounding area and decreased visitor enjoyment. Lines at launch sites and competition between commercial and private users would be inevitable.

Most importantly, the overall wilderness experience of floating the Snake River through the park would be compromised. People would encounter each other often and would view less wildlife as it becomes displaced by the growing number of visitors.

Commercial Fishing:

Limiting use to 10% above average 1995 levels should allow for continued operation of commercial fishing guides and satisfy visitor needs.

Fishing guides would no longer be allowed to disembark along the river. Clients and guides would not be allowed to leave the boat and fish from the banks of the river, but would still be allowed to anchor or tie off at an area they wanted to fish. This could change the character of a guided fishing trip on the river, and could decrease the overall enjoyment of fishing the Snake River.

EFFECTS OF ALTERNATIVE FOUR: EXPERIENCE BY SEGMENT

Same as Alternative Two, with the following exceptions:

Fishing guides would no longer be allowed to disembark along the river. Clients and guides would not be allowed to leave the boat and fish from the banks of the river, but would still be allowed to anchor or tie off at an area they wanted to fish. This could change the character of a guided fishing trip on the river, and could decrease the overall enjoyment of fishing the Snake River.


Passengers would no longer be allowed to meet concessionaires on any National Park Service lands. This would have the same results as discussed under Alternative Three socio-economic issues.

Specific launch times and locations would be assigned to concession operated float trips. This would have the same results as discussed under Alternative Three's socio-economic issues.

The area of river between Deadmans Bar and Moose would no longer be considered a secluded wilderness area. Large numbers of people would use this stretch of river and constantly encounter each other. Facilities such as parking spaces, launch sites and toilets would be vastly inadequate to accommodate the large number of people using the area. This could lead to unsatisfied visitors, disgruntled concession operators and a general deterioration of the experience floating the Snake River.

Enforcement of river use zones would be difficult and costly to Grand Teton National Park. Increased equipment, labor and funding would be necessary to monitor the use in each of the different zones.

PART SIX, INDICATORS, STANDARDS & MONITORING



PART SIX: INDICATORS, STANDARDS AND MONITORING

This section of the plan discusses the concept of carrying capacity, describes what measures will be used to ensure that river conditions remain in compliance with the desired future conditions and what methods will be used to monitor conditions on the river. In addition, this section outlines future research needs as they relate to the river corridor. The indicators and standards presented here are preliminary, will be field tested further during the summer of 1997, and revised as necessary. It is the goal of this plan to identify indicators and standards that will ensure that desired future conditions are met. Due to staffing and funding constraints, these measures need to be easily monitored as well as adequate indicators of overall river conditions.

Carrying Capacity

In the past, the question of how much public use is appropriate in a national park has been framed in terms of visitor "carrying capacity." The Park Service is required by law to address carrying capacity in planning for parks: the 1978 National Parks and Recreation Act (P.L. 95-625) requires each park to include "identification of and implementation commitments for visitor carrying capacities for all areas of the unit." (Arches VERP Plan, 1995).

For the purposes of this plan, carrying capacity is defined as "the type and level of visitor use that can be accommodated while sustaining the desired resource and social

conditions that complement the purposes of the park unit and its management objectives"

In other words, for the purposes of this plan, carrying capacity is interpreted not as a prescription for numbers of people, but as a prescription for numbers of people appropriate for desired ecological and social conditions. Measures of appropriate conditions replace measures of maximum sustainable use often used in relation to other types of carrying capacities (e.g. range capacity for domestic ungulates of wildlife habitat) (VERP, 1995).

A major premise of this planning process is that desired conditions, which are qualitative in nature, must be translated into objective measurements through the use of indicators and standards. It is important to remember that standards do not represent goals or desired conditions. Standards represent the trigger points that define when conditions become unacceptable.

When indicators show that visitor experience and resource conditions do not meet these standards, management actions will be taken to restore acceptable conditions.



Social Indicators and Standards

Indicator:	The number and frequency of boats encountered on the river.
Standard:	Seeing five or more other private scenic boats while floating the river 50% of the time.
Action:	Permit system will be developed for private users, better scheduling spacing of launch times. Institute the practice of not launching till previous boat is out of view for private users.

Indicator:	Congestion at parking areas and launch ramps; time spent waiting to launch.
Standard:	80% of the parties will have to wait longer than 15 minutes 8 day's per month.
Action:	Staff launch sites, schedule staggered launch times.

Resource Indicators and standards

Indicator:	Occupancy and productivity of bald eagle nests.
Standard:	No downward trend in productivity over a five year running average. No downward trend in activity, as defined by territory occupancy or breeding attempts, at nest sites over a three year running average. Maintain consistent productivity at individual nest sites that are historically reliable or consistent (i.e. Schwabachers, Oxbow) over a two year period. (This means no consecutive years of non-productivity at these nest sites).
Action:	Identify problem and initiate solution if possible. May initiate time restraints to keep visitors from floating through nest areas in the early morning and evenings. May also implement new closures to restrict people from disembarking from rafts or fishing boats near critical areas. May also monitor for contaminants such as DDT derivatives in egg shell fragments or in the aquatic environment.

Indicator:	Occupancy and productivity of Great Blue Heron rookeries.
Standard:	<p>No downward trend in overall productivity of the rookery over a five year running average.</p> <p>No downward trend in breeding activity, as defined by rookery occupancy and overall productivity, at rookeries over a three year running average.</p> <p>No decrease in occupancy at individual rookeries that are historically reliable or consistent over a two year period. (This means no consecutive years of non-occupancy).</p>
Action:	<p>Identify problem and initiate solution if possible.</p> <p>May develop time restraints to keep visitors away from floating near rookeries in the early morning and evenings. May also implement new closures to restrict people from disembarking from rafts or fishing boats at critical areas.</p> <p>May also monitor for contaminants such as DDT derivatives in egg shell fragments or in the aquatic environment.</p>

note: bald eagles and great blue herons were chosen as a primary resource indicator for the following reasons:

- They are at the top of the food chain.
- Ongoing monitoring efforts and good historical data exists to monitor trends.
- They are sensitive to human disturbance.
- They are a good indicator of the relative health of the fishery.

Monitoring

Continued monitoring will be necessary in order to determine if river conditions are consistent with the desired future conditions outlined in the plan. Listed below are actions that will be accomplished on a yearly basis following completion of this plan:

Bald Eagle Monitoring

Known bald eagle territories will continue to be monitored on a biweekly basis from late March to mid-June when young are from 5-7 weeks old. All young within Grand Teton NP will continue to be banded with aluminum color-coded and USFWS bands by Park biologists. Periodically, new areas will be surveyed for bald eagle occupancy, and

reports of new activity investigated. Trends over time in occupancy and productivity will be monitored.

Vegetation Monitoring

Periodic monitoring of the river access areas will be conducted to determine if excessive trampling is occurring and social trails are forming. If this is the case, then measures such as formalizing trails, fencing and revegetation efforts will be considered.

Water Quality

There has been an ongoing water quality monitoring effort by the National Water

Quality Assessment Program. This program monitors for phosphorus levels, total nitrates, turbidity, summer water temperatures and contaminants.

Concessions Operations

Concessions operations will be evaluated annually to insure that the public is provided with satisfactory service and that management objectives are met.

River Use

All aspects of river use including commercial operations, private use, shoreline fishing and hiking will be monitored to insure that the desired future conditions, indicators and standards are not violated.

Snake River Management Plan

In order for the river management program to be effective and responsive to change, there will be an ongoing effort to identify, evaluate and correct problems and deficiencies. As new information becomes available through the monitoring process and future research, the River Management Plan may be modified. Policies found to be inconsistent with the protection of natural and cultural resources will be revised as needed. Changes that affect use allocations will not be implemented without allowing time for public review and input and for concessionaires to adjust their operations. To assure that the River Management Plan remains a functional document, it will be reviewed annually by staff involved in river operations.

Research Needs


As a result of this study, the following future research needs were identified as necessary to better understand both the river

system and how visitor use impacts natural resources:

Improve the understanding of how recreation activities affect wildlife, and how this activity is connected to populations and communities.

Develop a specific study to gather information on the river otter population and how visitors effect that population.

Determine how lack of flushing flows due to the dam effect cottonwood communities.



Planning Team and Consultants

Planning Team

Nancy Arkin	Park Planner/Planning Team Leader
Mary Beth Baptiste	Biological-Technician
Mel Denton	Buffalo Sub-District Ranger
Robin Gregory	Landscape Architect
George Heilfrich	Concessions Management Specialist
Tony Ifland	Biological-Technician
Mike Johnson	Cultural Resource Specialist
Darin Martens	Landscape Architect
Laura Shearin	Concessions Management Intake Trainee
Doug Spaeth	Biological-Technician
Jean Weiss	Editor

Consultants

Joan Anzelmo	Chief, of Concessions
Steve Cain	Senior Wildlife Biologist
Colin Campbell	Chief Ranger
Sue Fullerton	GIS Specialist
Tedra Fox	Chief, Land Use Planning, Santa Monica Mountains NRA
Raymond Gunn	Chief of Concessions, Grand Canyon National Park
Marty Meyer	River Ranger
Mason Reid	Wildlife Biologist
Rebecca Rhea	Concessions Management Specialist
Bob Schiller	Chief, Science and Resource Management
Bill Swift	Chief of Interpretation
Cam Hugie	Chief of Maintenance

References

American Peregrine Falcon Recovery Plan. 1984. Prepared by: Rocky Mountain/Southwest Peregrine Falcon Recovery Team. 105 pp.

Anderson, P.G. 1994. *Conifer Forest Dynamics in Grand Teton National Park, Wyoming*. Ph.D. dissertation, University of Utah.

Baptiste, M.E. 1995. *1995 monitoring of amphibians at Grand Teton National Park*. Unpublished report on file in the Division of Science and Resource Management, Grand Teton National Park, Moose, WY.

Baxter, G.T. and M.D. Stone. 1992. *Amphibians and reptiles of Wyoming*. Wyoming Game and Fish Department.

Clark, T.W., A.H. Harvey, R.D. Dorn, D.L. Genter, and C. Groves, eds. 1989. *Rare, sensitive, and threatened species of the Greater Yellowstone Ecosystem*. Northern Rockies Conservation Cooperative, Montana Natural Heritage Program, The Nature Conservancy, and Mountain West Environmental Services.

Dahlgren, R.B., and C.E. Korschgen. 1992. Human disturbances of waterfowl: an annotated bibliography. U.S. Fish and Wildlife Service Resource Publication 188. 62 pp.

Kiefling, J. 1996. Personal communication. Fishery Biologist. Wyoming Game and Fish Department, Jackson, WY.

Kiefling, J.W. 1978. Fisheries Technical Bulletin No. 3: *Studies on the Ecology of the Snake River Cutthroat Trout*. Wyoming Game and Fish Department.

Marston, R.A. 1994. *Field Guide to the Snake River Technical Tour, Grand Teton National Park*. University of Wyoming.

Koch, E.D., and C.R. Peterson. 1995. *Amphibians and Reptiles of Yellowstone and Grand Teton National Parks*. University of Utah Press. 188 pp.

Mathisen, J.E. 1968. Effects of human disturbance on nesting of bald eagles. *Journal of Wildlife Management* 31:1-6.

McGarigal, K., R.G. Anthony, and F.B. Isaacs. 1991. Interactions of human and bald eagles on the Columbia River estuary. *Wildlife Monographs* 115, The Wildlife Society, Washington D.C. 47 pp.

Owenby J.R., D.S. Ezell. 1992. *Monthly Station Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1961-90*. U.S. Department of Commerce.

Palmer, T. 1991. *The Snake River: Window to the West*, Island Press. Washington D.C.

Peterson, C. 1992. Amphibian workshop presented in Moran, Wyoming, 22 June 1992.

Reese, J.G. 1977. Nesting success of ospreys in central Chesapeake Bay. Pages 109-113 in J.C. Ogden, editor. *Transactions of the North American Osprey Research Conference*, 10-12 February 1972, Williamsburg, Va. U.S. National Park Service Transactions and Proceedings Series 2.

Reid, M.E. 1994. *Great blue heron rookery survey - 1992 and 1993*. In Grand Teton National Park. Natural resource projects 1991-1993. Division of Science, Resource Management, and Planning, Grand Teton National Park, Moose, WY.

Rowan, D.E. 1992. *Snake River Cutthroat Trout Spawning Inventory of Tributaries to the Snake River (Jackson Lake to Palisades Reservoir), Wyoming, USA*. Trout Unlimited (Jackson Hole Chapter).

Schroeder, G.J. 1972. Results of a 2-year investigation of the ospreys of northern Idaho. M.S. Thesis, University of Idaho, Moscow. 63 pp.

United States Department of Agriculture. 1982. Soil Conservation Service: *Soil Survey of Teton County, Wyoming, Grand Teton National Park Area*.

United States Department of Agriculture. Bridger-Teton National Forest. 1996. *Snake River Area Analysis*.

United States Department of Interior. Bureau of Reclamation. 1996. *Minimum Streamflow Study: Preliminary Report for the Snake River below Jackson Lake Wyoming*.

United States Department of Interior. Denver Service Center. 1995. *Visitor Experience and Resource Protection, Implementation Plan (VERP)*. Arches National Park.

United States Department of Interior. Grand Canyon National Park. 1981. *Colorado River Management Plan and Annual Operating Requirements*.

United States Department of Interior. Grand Teton National Park. 1976. *Master Plan*.

United States Department of Interior. Grand Teton National Park. 1981. *Snake River Management Plan*.

United States Department of Interior. Grand Teton National Park. 1988. *Wildlife affected by recreational activities at Oxbow Bend*. Unpublished report on file in the Division of Science and Resource Management, Grand Teton National Park, Moose, WY.

United States Department of Interior. Grand Teton National Park. 1989. *Statement for Management*.

United States Department of Interior. Grand Teton National Park and John D. Rockefeller, Jr. Memorial Parkway. 1995. *Resources Management Plan*.

United States Department of Interior. Grand Teton National Park. 1994. *Compendium of regulations for Grand Teton National Park and the John D. Rockefeller, Jr. Memorial Parkway*. Designations, closures, permit requirements, and other restrictions imposed under the discretionary authority of the Superintendent. Title 36, Code of Federal Regulations Chapter 1. Grand Teton National Park files.

United States Department of Interior. Grand Teton National Park. 1995. Letter from the Grand Teton National Park Chief Ranger to hunters selected to participate in park-wide elk reduction program.

U.S. Fish and Wildlife Service. 1993. *Mid-winter trumpeter swan survey*. Red Rock Lakes National Wildlife Refuge, Lakeview, MT.

U.S. Fish and Wildlife Service. 1994. Letter to Linda Merigliano, Jackson Ranger District, Bridger-Teton National Forest concerning endangered, threatened, and candidate species in accordance with section 7(c) of the Endangered Species act of 1973.

U.S. Fish and Wildlife Service. 1995a. *Mid-winter trumpeter swan survey*. Red Rock Lakes National Wildlife Refuge, Lakeview, MT.

U.S. Fish and Wildlife Service. 1995b. Memorandum to the Superintendent, Grand Teton National Park concerning listed, proposed, and candidate threatened or endangered (T/E) species in accordance with Section 7(c) of the Endangered Species Act of 1973.

Wyoming Game and Fish Department. 1992. Informative brochure: *The Snake River Cut-throat Trout*.

APPENDIX ONE, COMMERCIAL OPERATING GUIDELINES



OPERATING PLAN

GUIDED INTERPRETIVE FLOAT TRIPS AND FISHING TRIPS

OF

GRAND TETON NATIONAL PARK

AND

JOHN D. ROCKEFELLER, JR. MEMORIAL PARKWAY

Concession Permit No. _____

TABLE OF CONTENTS

I.	INTRODUCTION	4
II.	MANAGEMENT, ORGANIZATION AND RESPONSIBILITIES	4
A.	Concessioner	4
B.	National Park Service	4
III.	CONCESSION PERMIT ADMINISTRATIVE REQUIREMENTS	7
A.	Operational Evaluations	7
B.	Rates	8
C.	Reduced Rates for Government Employees and Others ..	8
D.	Schedule of Operation	8
E.	Staffing and Employment	8
F.	Training Program	9
IV.	OPERATING REQUIREMENTS	10
A.	THE PERMIT	10
B.	DEFINITIONS	10
C.	Use Limitations	10
D.	Launches, Takeouts, Stops	11
E.	Launching or retrieval	11
F.	Equipment	12
G.	Safety	15
H.	Personnel Qualifications	16
I.	Resource Protection	17
J.	Interpretation	17
K.	Sanitation	17
L.	Food Service	18
M.	Drinking Water	19
V.	INSURANCE	19
VI.	NONDISCRIMINATION	19
VII.	STATISTICAL REPORTING	19
A.	Visitor statistics	19
B.	Fishing statistics	19
C.	Reporting procedures	19
VIII.	HUMAN ILLNESS REPORTING	19
IX.	REPORTS REQUIRED BY THE PERMIT	19
A.	Annual Financial Report	20
B.	Certificate of Insurance	20
X.	VISITORS' ACKNOWLEDGMENT OF RISK	20
XI.	LOSS CONTROL PROGRAM	20
XII.	LOST AND FOUND POLICY	20

XIII. INTEGRATED PEST MANAGEMENT	20
XIV. COMPLAINTS	20
XV. ADVERTISEMENTS/PUBLIC INFORMATION	21

II. INTRODUCTION

This Operating Plan shall serve as a supplement to the Concessions Contract between (Concessioner) (hereinafter referred to as "Concessioner") and the National Park Service (hereinafter referred to as "Service").

This Operating Plan generally describes operations authorized under the contract between the Concessioner and the Service. This Operating Plan does not amend the Contract nor alter the rights and liabilities of the parties to the Contract. In the event of any apparent conflict between the terms of the Contract and this Operating Plan, the terms of the Contract will prevail. This plan will be reviewed annually and will remain in effect until superseded or amended.

III. MANAGEMENT, ORGANIZATION AND RESPONSIBILITIES

A. Concessioner

1. (Concessioner) will direct this concession operation. The Company/Corporation shall employ a manager, who carries out the policies and directives of the Service as well as those of the concession in the operation of the authorized concessions facilities and services in Grand Teton National Park and John D. Rockefeller, Jr., Memorial Parkway. To achieve an effective and efficient working relationship between the Concessioner and the Service, the Company/Corporation must designate one representative who has full authority to act as a liaison in all concession administrative/operational matters.
2. The manager will employ a staff with the expertise to operate all services authorized under the concessions contract.
3. The manager will furnish the Service with an initial list identifying key concession management and supervisory personnel and their job titles, with updates as changes occur.

B. National Park Service

1. The Superintendent manages the total park operation, including concession operations. The Superintendent carries out the policies and directives of the Service, including management of concessioner contractors. Through Service representatives, the Superintendent reviews, supervises, and coordinates concession activities within the Park. Monitoring concession contract compliance includes evaluating all concession operations and services, reviewing and authorizing all rates, improvements to facilities and construction, and protection of cultural and natural resources.
2. The Chief of the Concessions Management Division (Chief) coordinates the functions of other Service divisions relating to concession operations. The Chief makes recommendations on all aspects of the concessioner's operation to the Superintendent. He/she ensures necessary evaluations and/or inspections are performed, including those required by the United States Public Health Service (USPHS), Regional Safety Officer (including fire inspections), and the Concessioner Review Program. The Chief ensures all concessioner rates are approved based upon current comparability studies or applicable guidelines. He/she has line authority from the Superintendent to make field decisions, which pertain to the concessions operation, and acts as liaison between the Concessioner and Superintendent.

Concessions Management Specialists and Concessions Assistants review and coordinate the Concessioner's day-to-day activities. They review and evaluate operational and maintenance activities; rates, services, and schedule changes; equal employment opportunity and affirmative action plans; advertisements; construction proposals; annual financial reports; insurance coverage; and any other contract requirements.

3. The Assistant Superintendent supervises and manages the functions of all divisions, as they relate to the overall park operation. This position has delegated authority and assists the Superintendent by making recommendations on all aspects of park management and serves as Acting Superintendent during the absence of the Superintendent.

4. The Regional Safety Officer monitors the Concessioner's Loss Control program to ensure it meets all applicable standards.
5. The Park Sanitarian monitors all food and beverage services, solid waste disposal, water, and waste water systems to ensure adherence to all applicable public health standards.
6. The Chief Ranger initiates, reviews, supervises, and coordinates the activities of personnel who provide visitor services and protection functions. District Rangers, the Fire Management Officer, and the Law Enforcement Officer serve as the direct line of communication to the Concessioner on matters related to fire management, law enforcement, safety, prescribed fire, search and rescue, emergency medical services and resource protection.
7. The Chief of Interpretation acts on behalf of the Superintendent in matters pertaining to interpretation, environmental education, museum services, and public affairs. The Interpretive Division will work with the Concessions Management Division to evaluate/monitor concession interpretive activities. District Interpreters provide interpretive programs for the visiting public and serve as the direct line of communication to the Concessioner about interpretive matters, including concession staff training. The Public Affairs Officer will work with the Concessions Management Division to coordinate media relations and activities with the Concessioner.
8. The Chief of Maintenance acts on behalf of the Superintendent in matters pertaining to maintenance and supervises the activities of the Facility Managers. The Facility Managers, District Maintenance Supervisors and staffs provide day-to-day supervision over all maintenance activities and operations, including buildings and utilities, roads and trails.
9. The Chief of Science, Resource Management, Planning and Compliance acts on behalf of the Superintendent in all matters pertaining to natural and cultural resources management such as air and water quality monitoring, vegetation management, fish and wildlife management, historic

compliance, etc. Long-range planning is under the purview of this position.

10. The Administrative Officer acts on behalf of the Superintendent in matters related to fiscal management associated with the concession activities, including billing for payment of franchise fees, utilities, and personal services provided by the Service to the Concessioner.

IV. CONCESSION PERMIT ADMINISTRATIVE REQUIREMENTS

A. Operational Evaluations

1. The services authorized by the Contract will conform to the evaluation standards set forth in the National Park Service Concessions Guideline (NPS-48) and with this Operating Plan.
2. The Service and the Concessioner shall separately inspect and monitor concession facilities and services with respect to Service policy, applicable standards, authorized rates, safety, public health, impacts on cultural and natural resources, and visitor concerns. Annually and on a periodic basis throughout the year, the Service will evaluate all services and facilities operated by the Concessioner to ensure public safety and health, identify maintenance and operating deficiencies, and ensure reasonable rates and satisfactory services and accommodations for the general public within assigned areas of responsibility.
3. The Superintendent's representative(s), normally the Concessions Management Specialists, will conduct periodic inspections of concessioner facilities and services to ensure conformance to operational standards established by NPS-48. Location managers will be contacted at the time of evaluations so that a representative of the Concessioner can accompany the Service evaluator.
4. The Concessioner is responsible for developing and following a comprehensive safety program. The Service will make unannounced inspections and evaluations of the safety program on a random basis.
5. The Park Sanitarian shall conduct periodic food service evaluations without prior notice.

6. The Service reserves the right, in accordance with the Permit, to enter the Concessioner's operations at any reasonable time for any inspection or when otherwise deemed necessary.
7. The Concessioner must be responsive to dates assigned for correction of deficiencies and abatement plans for correction of identified deficiencies. The Concessioner will meet with Service officials to schedule and prioritize correction of deficiencies resulting from these inspections..

B. Rates

1. The Concessioner will submit written requests for all rate increases at least 45 days prior to anticipated implementation date. Requests for rate changes will be processed as expeditiously as possible. Should special conditions require a quicker than normal response, the Concessioner will clearly explain these conditions in writing in the request.
2. The Service will approve, disapprove, or adjust rates and will inform the Concessioner of the reason for any disapproval or adjustment within 45 days of the rate request submittal.
3. The Concessioner will prominently post all rates for goods and services provided to the visiting public.

C. Reduced Rates for Government Employees and Others

Government employees on official business and others (not family members) on park-related business, as designated by the Superintendent, will receive reduced rates for lodging and transportation. National Park Service personnel conducting evaluations under the concessioner review program will receive reduced rates for services being evaluated (with the exception of food service).

D. Schedule of Operation

The Concessioner will annually submit a written schedule of proposed opening and closing dates and operating hours for all concession operations for the Superintendent's approval prior to implementation. The

Service will give reasonable notice of any scheduled changes that it may initiate. Weather and visitation may cause specific dates of operating seasons to fluctuate; these dates, however, will be agreed upon and approved by the Service, prior to implementation.

E. Staffing and Employment

1. The Concessioner will hire a sufficient number of employees to ensure satisfactory services.
2. The Concessioner will establish hiring policies which will include appropriate background reviews of applicants for employment. The Concessioner will not hire any person known to have an outstanding warrant for arrest and will make reasonable efforts to secure this information prior to hiring new employees.
3. All employees dealing with the general public shall be clean, neat, and professional in appearance. Employees will project a hospitable, friendly, helpful, positive attitude, be capable and willing to answer visitors' questions, and provide visitor assistance.
4. The Concessioner shall have an affirmative action plan, as required by law, and shall post the plan in the office and work area.
5. The Concessioner shall not employ in any status a Service employee, his/her spouse, or minor children of Service employees without the Superintendent's approval. The Concessioner shall not employ in any status the spouse or children of the Superintendent, Assistant Superintendent, Chief of Concessions Management, Concessions Management Specialists, Safety Officer, or Public Health Sanitarian.
6. Drivers of trucks or passenger carrying vehicles shall have a valid operator's license for the size and class of vehicle being driven. They shall also meet any additional requirements established by Wyoming for the vehicle driven or passengers carried.

F. Training Program

1. The Concessioner will provide employee orientation and training and will inform employees of park

regulations and requirements, which affect their employment and activities while residing and working in Grand Teton National Park. A National Park Service representative may participate in scheduled orientation sessions.

2. The Concessioner will provide adequate, applicable training to each employee prior to job assignments and working with the public.
3. The Concessioner will design and provide interpretive training for all employees who provide interpretive and/or informational services. The Service will work closely with the Concessioner to refine the methods of preparing and conducting effective interpretive programs. The Service will evaluate interpretive visitor services to ensure appropriateness, accuracy, and the relationship of interpretive presentations to park themes.

V. OPERATING REQUIREMENTS

A. THE PERMIT AUTHORIZES THE CONCESSIONER TO CONDUCT SCENIC INTERPRETIVE RIVER FLOATS AND/OR GUIDED FLOAT FISHING TRIPS ONLY ON THE SNAKE RIVER -- NO AUTHORIZATION FOR SCENIC FLOATING OR GUIDED FISHING ON ANY OTHER PARK WATERS --NO SUBCONTRACTING FOR SERVICES IS PERMITTED.

B. DEFINITIONS: As it pertains to this permit, a SCENIC INTERPRETIVE RIVER FLOAT TRIP provides the visitor with the opportunity to enjoy a float trip experience. The views from the river are interpreted in such a manner that, along with other information given, an understanding and appreciation for the Snake River, Grand Teton National Park, John D. Rockefeller, Jr., Memorial Parkway, and the surrounding area is developed. GUIDED FISHING TRIPS are defined as float trips with the primary purpose of fishing, as opposed to scenic viewing.

C. Use Limitations

1. Operating Season - Summer months, basically June through September. Scenic float trip launch limitations apply for the period June 10 through September 15. Trips are primarily conducted during the daylight hours.
2. Scenic Float Trips - Each permittee has a unique contract with differing numbers of authorized

scenic float trip launches; designated launch and takeout points; meal stops; passenger-meeting points, etc. as shown in Appendix 1. This number may be adjusted during the term of the contract.

3. Guided fishing trips - There is currently no limitation on the number of guided fishing trips which may be conducted under an authorized contract. The Superintendent may impose such limitations any time conditions warrant such action.

Trips are limited to four (4) passengers per raft/boat. Fishing gear must be provided at no additional charge for at least 50% of raft passengers.

Concessioners are required to telephone the Park Dispatch Office at 739-3301 or send a fax to the Park Dispatch Office at 739-3304, prior to launching guided fishing trips, with the following information: name of guide; time and place of launch.

D. Launches, Takeouts, Stops

1. Each contract has designated places for launching, meal stops (if permitted) and takeouts as shown in the Contract and Operating Plan.
2. Fishing trips, if authorized, may launch and takeout at any NPS established launch point.
3. Stopping at any other points along the river is not permitted except for fishing trips or emergencies. (This includes stopping on the water or dragging anchor).
4. Eagle nest closures prohibit ALL stopping, standing, or slowing for a distance of 1/2-mile in any direction from the nest during the period February 1 through August 15, each year.
5. The concessioner will not embark on any commercial float trips until after the previously-launched crafts (or through crafts) OF OTHER CONCESSIONERS are out of sight. This applies to scenic floats only -- not guided fishing trips.
6. To keep launch ramps clear for use, operators must use the ramps for launch and retrieval ONLY. Rigging of equipment on the ramp is not permitted.

E. Launching or retrieval

1. Launching or retrieval at any ramp is on a first-come, first-served basis, (first arrival of passengers) EXCEPT in the case of the lower ramp (with the hoist) at Moose Landing. The Grand Teton Lodge Company has first priority on use of the lower ramp, having installed and maintained the hoist. Other permittees may use the ramp when it is not in use by the Grand Teton Lodge Company. The Grand Teton Lodge Company is expected to expeditiously utilize the lower ramp for retrieval whenever possible.
2. Launching rafts prior to arrival of passengers and later walking passengers past others already waiting defeats the intent of this policy. Launching must be on a first-come, first-served basis of passengers. All groups must wait their turn to launch.
3. Parking/Road Use:
 - a. All commercial users will use the Moose service road (north end of the maintenance building) for access to the back parking area.
 - b. Vehicles and trailers should be parked in such a manner to allow adequate space for through traffic and for other operators to rig their equipment in the center section of the back parking area.
 - c. Company vehicles with or without boats and/or trailers parking or stopping in the front "float trip parking" area for longer than 10-minutes is strongly discouraged. No rigging of equipment is permitted in this area.
 - d. Concessions scenic or boat trailers are not allowed on the Teton Park Road or the Moose-Wilson Road. Special Use Permits may be issued for one time events.

F. Equipment

1. A list of all rafts, frames, trailers, and passenger-carrying vehicles must be provided to the Concessions Management Office each season prior to beginning operation.

2. Vehicles - All vehicles used to transport passengers must be maintained in a safe operating condition and comply with all state and federal regulations.

3. Watercraft:

a. Scenic rafts must be readily identifiable as the concessioner's through numbering pattern, logo, color, etc. Scenic rafts must bear numbers that are a minimum of 3" high, and are placed in a visible location. Fishing rafts are not required to have company identification and numbers.

b. If used personally, scenic rafts and fishing rafts must have a park boat permit.

c. Rafts must have a minimum of two (2) compartments in the main tube or chamber.

* d. No two consecutive chambers may be leaking internally or at least 75% of chambers must be airtight

* e. All valves and patches must be airtight with no external leaks.

* f. All lifeline "D" rings must be securely fastened.

* g. Lifeline ropes must be in good condition (as minimum, 3/8" cotton or 1/4" nylon with no knots except at the joining point).

4. Frames:

a. Company identifying numbers must be placed on each scenic raft frame readily visible for inspection.

b. Frame must be securely fastened to the raft.

* c. Frame must be solid, without weld cracks or weak points.

5. Oar Locks and Rowing Pins:

a. Pins and/or clamps must be securely fitted and straight.

* b. Rowing pin sleeves must be in place and serviceable.

c. Wooden rowing blocks must be serviceable.

6. Oars:

* a. Blade must be serviceable in size and condition.

* b. Extra oar or paddle must be in each raft.

7. Personal Flotation Devices (PFD):

* a. All passengers on scenic trips must wear properly fitted and buckled USCG approved Type I or V PFD's for the duration of the trip. Flotation collars on Type V PFD's must not be removed, tucked into the collar, tied down or made unserviceable in any other manner.

b. A person or child, who cannot be properly fitted with a Type I or Type V PFD, should not be permitted to float. This generally applies to children under 4 years of age.

c. Boatmen on scenic trips must wear a USCG approved PFD for the duration of the trip. The PFD may be a Type III, Type I or Type V. It must be properly fitted and buckled. Flotation collars on Type V PFD's must not be removed, tucked in, tied down, or made unserviceable in any other manner.

d. All boatmen/guides and passengers on guided fishing trips must wear a USCG approved PFD during the time they are in the boat. Boatmen/guides and passengers may wear Type III, Type I or Type V. PFD's must be properly fitted and buckled. If Type V PFD's are worn, flotation collars must not be removed, tucked in, tied down, or made unserviceable in any other manner. Boatmen/guides and passengers are not required to wear a PFD while fishing from shore.

* NOTE: THE ITEMS MARKED WITH AN ASTERISK ARE CONSIDERED CRITICAL. RANDOM INSPECTIONS WILL BE MADE THROUGHOUT THE SEASON. IF EQUIPMENT

FAILS TO MEET MARKED CRITERIA (*), IT WILL BE PULLED FROM SERVICE IMMEDIATELY (see also, sec.5.b.1.)

8. Rain Gear

- a. Each raft will carry sufficient raincoats, slickers, plastic or fabric tarps to ensure passenger comfort during periods of inclement weather.
- b. The quantity of rain gear must be equivalent to the number of persons on board.
- c. The rain gear must be stored in an accessible manner and must be in serviceable condition.

9. First Aid Supplies

- a. Each raft shall carry a waterproof first aid kit.
- b. The following items are recommended as a minimum: Bandaids; waterproof matches; sunburn lotion or zinc oxide; one arm splint; one eye dressing kit; four triangular bandages; 3" wide adhesive tape; one 3" ace wrap; one 5" Kurlex or battle dressing; two 2x2, two 3x3, and four 4x4 gauze compress pads; wool blanket, or other means of providing warmth, and one operable flashlight.

G. Safety

1. Safety Belts

- a. Drivers and guides must use seat belts while transporting passengers.
- b. Drivers or guides must advise passengers to use their seat belts while riding in vehicles equipped with approved restraint systems.

2. Inspections

- a. Rafts, frames, and other equipment may be inspected by Ranger personnel at any time. If equipment fails to meet criteria outlined in Section 4, it will be pulled from service

immediately until corrections have been made and the equipment is reinspected.

- b. Raft capacities have been established for each raft size. Capacities for new equipment must be determined by Ranger personnel prior to use and that limit must be adhered to. Changes in the type of watercraft used which results in substantial changes in capacity, must have prior approval of the Superintendent and may result in adjustment of daily launch quotas.
- c. Any raft or frame damaged in an accident must be inspected by Ranger personnel prior to further use.

3. River Hazards: Hazards or obstacles in the river should be called to the attention of the Chief Ranger. In cases of obvious danger, or if no safe alternate route exists, the Park may remove the hazard. The public and concessioners are not permitted to do so.
4. Accidents: All accidents must be reported to a Park Ranger or Park Headquarters at the end of the trip. Accidents include collision, upset, property damage, passengers falling into the water, fire, personal injury or death.

5. Safety Orientation
- a. Prior to departure, boatmen will demonstrate proper PFD use and fit to all passengers and make a physical inspection to assure that each PFD is securely fastened and is of appropriate size.
- b. A safety message must be given which explains recommended procedures to follow in the case of an accident; proper positioning in raft; what to do if a passenger falls into the water; what to do if the boatman falls into the water; and explain concessioner's procedures for retrieval of a passenger from the water.

H. Personnel Qualifications

1. All boatmen and/or fishing guides must possess a current American Red Cross first aid card or

equivalent, and a current CPR card (either ARC or American Heart Association).

2. Boatmen/guides who have been certified in first-aid and/or CPR during the past 18 months, but whose certification has expired, may lead trips for 30 days pending recertification. Documentation must be provided when the boatman begins work and when he/she is recertified.
3. To qualify as a boatman for scenic trips, one must make at least ten (10) trips on the Snake River within Grand Teton National Park. All qualifying trips will be under the supervision of a qualified boatman and the apprentice will have partial or total control of the boat. **These trips will be logged and certified (by the permittee) on the permittee's letterhead, and provided to the Concessions Management Office for NPS approval.** Proof of current first aid and CPR certification must be furnished along with the trip log. A boatman who has been certified by one permittee can work for other companies without further qualifying.
4. Prior to operating each season, a written list of all boatmen and/or fishing guides, documenting their first aid and CPR certification and the expiration dates of each must be submitted to the concessions office. These lists may be updated whenever changes warrant by phone with a written follow-up.
5. All boatmen/guides must be able to swim, in the case of an emergency.

I. Resource Protection

1. The Concessioner agrees to comply with all park rules and regulations and is particularly sensitive to the protection of the flora and fauna. The Concessioner will ensure that his employees and clients are made aware of these rules and regulations as appropriate.
2. Only in the case of extreme emergency will commercial operators enter areas closed by the Superintendent.
3. Meal sites shall be left in a clean condition with fires properly extinguished. All provisions of

the Bear Management Plan apply to sanitation at these sites.

4. Fishing guides are encouraged to land fishermen in varying locations to avoid establishing trails and eroding landing/launch sites.

J. Interpretation

1. The Superintendent, through a designated representative, will work closely with the concessioner in producing and maintaining an effective interpretive program.
2. Periodic evaluations will be made by Park representatives to ascertain whether the approved interpretive program is being adhered to.

K. Sanitation

1. Trash and garbage: Each raft will provide containers suitable for stowing trash, garbage and other litter which cannot be deposited at Deadman's Bar. The National Park Service will provide a dumpster at Moose for disposal of garbage and litter.
2. Toilets will be provided and maintained by the National Park Service at Pacific Creek and Deadman's Bar #2. Concessioners are required to provide and maintain their own toilet systems at other meal sites, subject to approval by the Superintendent. Waste from these systems will be disposed of in accordance with procedures established by the Superintendent.

L. Food Service - If authorized, the permittee is subject to the following requirements, as well as all those of the U.S. Public Health Service. Employees handling food may be required to attend Public Health Service training.

1. Personnel

- a. If an individual has a sore throat or a respiratory or diarrheal illness, they shall not participate in the preparation of food or cleaning of dishes.
- b. Hand washing must be established as a routine practice by anyone who engages in food prepa-

ration. Illnesses such as Salmonellosis and Shigellosis are spread via the fecal/oral route.

- c. Individuals with open sores or burns should not be engaged in food preparation unless a food glove is worn.

2. Food Temperatures

- a. The refrigeration temperature of perishable food should be 41 degrees F or less. A thermometer must be located in the ice bins to determine the temperature.
- b. There should be drainage plugs in the ice bins and the water should be drained frequently.

3. Cleaning of Dishes, Utensils and Food Handling Equipment

- a. All dishes, cookware and other utensils should be washed utilizing a 3-step method:
First container -- soap and hot water;
Second container -- clear, hot rinse water;
Third container -- sanitizer; this may be a bleach or iodine solution
- b. Air dry and store the items in a clean, dry location.
- c. Sheath knives MUST NOT be used in food preparation.

M. Drinking Water

- 1. Enough drinking water obtained from a chlorinated source should be carried to ensure the comfort of passengers for the duration of the trip.
- 2. The water container should have a closed top, be tightly sealed, and be smooth and cleanable.
- 3. A spigot should be placed at the bottom of the container and water dispensed from the spigot only; dippers should never be used as drinking cups.

VI. INSURANCE: Permittee must provide proof of adequate insurance coverage to the Concessions Management Office prior to beginning operations. Specific requirements are listed in Section 8 of the contract.

VII. NONDISCRIMINATION: Requirements outlined in Exhibit A of the CONTRACT.

VIII. STATISTICAL REPORTING

- A. Visitor statistics: The concessioner will furnish, by the second day of each month, a report stating the number of trips, dates and total passengers carried for the respective operation.
- B. Fishing statistics must be reported separately from scenic float statistics.
- C. Reporting procedures: These figures may be phoned or faxed to the Concessions Management Office (by the second day of the month) and followed by the report form. A supply of report forms will be provided by the Concessions Management Office.

IX. HUMAN ILLNESS REPORTING

Information on all human illnesses, whether employees or guests, is to be promptly reported to the Service's Public Health Officer through the Concessions Office. This information, along with other information received, will be evaluated to help identify outbreaks of illness associated with contaminated water or food sources, or caused by other adverse environmental conditions.

X. REPORTS REQUIRED BY THE PERMIT

- A. Annual Financial Report: Due as specified in contract.
- B. Valid Certificate of Insurance: Must be on file in Concessions Management Office.

XI. VISITORS' ACKNOWLEDGMENT OF RISK

The concessioner may require clients to sign an acknowledgment of risk form prior to the trip. All such forms must comply with National Park Service requirements.

XII. LOSS CONTROL PROGRAM

- A. Consistent with the Occupational Safety and Health Act of 1970 and the "National Park Service Loss Control

Management Program" Guideline NPS-50, the concessioner will provide a safe and healthful environment for all of its employees and visitors.

B. The concessioner will develop, maintain, and implement a documented safety program ("Loss Control Plan"), as outlined in NPS-48, Chapter 34. An initial submittal and request for approval of this plan will be made to the Superintendent within 120 days of the execution of the contract.

XIII. LOST AND FOUND POLICY

Finders shall be instructed to take items to NPS Moose Headquarters, Permits Office to be further managed by NPS.

XIV. INTEGRATED PEST MANAGEMENT

The control of pests by chemical and other means is subject to park approval. Specific problems can be referred to the park's Division of Science, Resource Management, Planning and Compliance.

XV. COMPLAINTS

A. The Service will send complaints or comments regarding Concessioner facilities to the Concessioner for investigation and response in a timely manner. The Concessioner will provide a copy of the response to the Superintendent. A copy of the Service's response will be forwarded to the Concessioner.

B. In order to initiate valid and responsive visitor comments, the following notice will be prominently posted at all Concessioner cash registers and check-in/payment areas:

This service is operated by Concession Name, a Concessioner under contract with the U.S. Government and administered by the National Park Service. The Concessioner is responsible for conducting these operations in a satisfactory manner. The reasonableness of prices is based on comparability. Prices are approved by the National Park Service based upon prices charged by similar private enterprises outside the Park for similar services with due consideration for appropriate differences in operating conditions.

Please address comments to:

Superintendent
Grand Teton National Park
P.O. Box 170
Moose, Wyoming 83012

XVI. ADVERTISEMENTS / PUBLIC INFORMATION

- A. All promotional material must be approved by the Superintendent prior to publication, distribution, broadcast, etc. Advertisements must include a statement that the Concessioner is authorized by the NPS, Department of the Interior, to serve the public in Grand Teton National Park. Brochure changes and layout should be submitted to the Superintendent for review at least 30 days prior to projected need/printing dates. The Superintendent will make every effort to respond to minor changes to brochure texts within 15 days. Longer periods may be required for major projects.
- B. All brochures, advertising, literature, and other materials shall accurately reflect the services authorized and conducted under this permit. Literature distributed in the park shall not include information on commercial activities conducted outside the park. Brochures will be withdrawn if found to be inaccurate.
- C. When used, advertisements for employment must contain a statement that the company is an equal opportunity employer.

Dated at Grand Teton National Park this _____ day of _____, 19____.

CONCESSIONER

NATIONAL PARK SERVICE

Title: _____

Jack Neckels
Superintendent
Grand Teton National Park

Date: _____

APPENDIX TWO,
WYOMING GAME & FISH PROPOSAL



WYOMING GAME AND FISH DEPARTMENT; FISHERIES MANAGEMENT CREW 10.

PROPOSED RESTORATION PROJECT - UPPER BAR BC SPRING CREEK

The Snake River Cutthroat Trout population in the upper section of the Snake River (Moose - Jackson Lake Dam), has a limited amount of suitable spawning channels (or spring creeks) available. This is best demonstrated by the fact that some trout travel as far as 29 miles downriver from the confluence of the Buffalo Fork River to spring creeks located near the confluence of the Gros Ventre River to spawn.

There is potential for loss of prime spawning area, primarily Blacktail Spring, by encroachment from the Snake River in the future. This loss could be offset by some degree if spring creeks, such as Upper Bar BC Spring, were developed to their maximum spawning capacity. The value of Upper Bar BC Spring, to the Snake River fishery, should be of long term as it is situated on a bench above the floodplain, whereas, Blacktail Spring is located within the floodplain.

Prior to the dedication of Grand Teton National Park, a fish hatchery was constructed on the East Fork of Upper Bar BC Spring by the United States Bureau of Fisheries. Dams were constructed on the East Fork, near the hatchery site, to provide rearing ponds. There is evidence that some of the channel above and below the rearing ponds was widened for some unknown purpose. After the hatchery was abandoned, the dams were left intact and sediment continued to accumulate in the ponds. In 1984, in cooperation with Teton Park, Wyoming Game and Fish Department personnel used a backhoe to remove three of the dam structures, excavate sediments and expose gravels to a limited extent. The work was accomplished on the section of creek adjacent to and below the hatchery site.

The Wyoming Game and Fish Department recommends that the project be continued on the East and Main Forks in an attempt to establish a spawning run similar to that in the lower reach of the West Fork. This will involve removal of the last dam structure, which was left intact due to the last landowner's request; removal of sediments; narrowing the channel to a natural width; excavation of natural gravels or placement of commercial washed gravels where natural gravels can not be reclaimed; placement of overhead cover (trees) for protection of spawning fish and escape cover for fry.

If all of the recommended types of treatment are agreeable to all cooperating parties, the project cost is estimated to be less than \$ 10,000.

UPPER BAR BC SPRING - FISH HABITAT ENHANCEMENT PROPOSAL

EAST (HATCHERY) CHANNEL


Site No.	Proposed Treatment	Purpose
1	Breach Structure	Remove barrier, flush sediment and consolidate channel.
2	Add Fill	Narrow Channel to maintain a velocity of 1.5 to 3.0 feet per second (fps).
3	Excavate a pool - Add cover	Create a secure resting pool.
4	Enhance Gravel - Fill to consolidate channel	Increase suitable spawning area. Maintain velocity at 1.5 - 3.0 fps.
5	Excavate a pool - Add cover	Create a secure resting pool.
6	Enhance Gravel	Increase suitable spawning area.
7	Enhance Gravel	Increase suitable spawning area.
8	Excavate a pool	Create a secure resting pool.
9	Enhance Gravel	Increase suitable spawning area.
10	Add Fill	Narrow Channel to maintain a velocity of 1.5 to 3.0 fps.


LOWER (MAIN) CHANNEL

11	Add Fill	Narrow Channel to maintain a velocity of 1.5 to 3.0 fps.
12	Add Fill	Narrow Channel to maintain a velocity of 1.5 to 3.0 fps.

GENERAL
LOCATION
MAP
(MOOSE QUAD)







UPPER BAR BC SPRING

EAST CHANNEL

POND

ISLAND



FILL

WEST CHANNEL

11

MAIN CHANNEL

I2

NOT TO SCALE

★: ~ 0.2 MI

Log

Printing Costs for this document funded by a donation from the
One-Fly Foundation



Printed on recycled paper